

**SALLISAW MUNICIPAL AUTHORITY
REGULAR MEETING**

August 12, 2024

**Time: Immediately Following the
Meeting of the Board of City Commissioners**

**Council Chambers
113 North Elm Street
Sallisaw, Oklahoma**

A G E N D A

**“POSSIBLE ACTION” INCLUDES, BUT IS NOT LIMITED TO, APPROVAL, AUTHORIZATION, ADOPTION,
REJECTION, DENIAL, AMENDMENT, TAKING NO ACTION, OR TAKING THE ITEM FOR DISPOSITION
AT A LATER DATE OR TIME.**

- 1. Meeting called to order**
- 2. Declaration of a quorum**
- 3. Possible action on minutes of regular meeting of July 8, 2024**
- 4. Discussion and possible action on Purchase Order No. 102534, issued to Altec Industries, Inc. of Waxahachie, Texas, in the amount of \$230,830.00 for the purchase of One (1) Altec Model AT41M Bucket Truck for the Electric Department**
- 5. Discussion and possible action on Diamondet Incentive Agreement between Sallisaw Municipal Authority (SMA) and Millison Casting Technology LLC to provide fiber incentive of 1 Gb commercial internet connection**
- 6. Administrative reports**
- 7. Adjourn**

Posted: AUGUST 9, 2024

Time: 11:15 A.M.

Kim Jamison

MINUTES
SALLISAW MUNICIPAL AUTHORITY
REGULAR MEETING
JULY 8, 2024

The Sallisaw Municipal Authority met in a regular meeting on July 8, 2024, in the Council Chambers, 113 North Elm, Sallisaw. Notice of the meeting was given by emailing Sequoyah County Times; by emailing KXXMX; by posting at city hall on July 5, 2024 at 10:45 a.m. by posting on the city's website; and, by giving notice to the City Clerk.

Members present:	Ernie Martens,	Chairman
	Vacant	Trustee, Ward 1
	Josh Bailey,	Trustee, Ward 2
	Julian Mendiola,	Trustee, Ward 3
	Kristin Peerson,	Trustee, Ward 4

Members absent: None

Staff present:	John R. Montgomery,	City Attorney
	Kim Jamison,	Secretary
	Robin Haggard,	Director of Finance
	Kayle Griffin,	Chief Accountant
	Keith Miller,	Building Development Director
	George Bormann,	Economic Development Director
	Ben Spyres	Computer Technician
	Clint Smith,	IT Manager
	Skylar Fullbright,	Grants Specialist
	Gene Martin,	Superintendent - Equipment Services
	Randy Sizemore,	Purchasing Agent
	Anthony Armstrong,	Fire Chief
	Steve Padgett,	Assistant Fire Chief

Others present: Lynn Adams; Susan Chandler; David Chandler; Keith Chandler; Willie Downs; Sandra Downs; Reece Bush; Stephanie Goad; Philip Gay; Pamela Gay; Garry Pack; Susan Pack; Ron Durbin; Sean Buckner; Jim Agent; Julia Agent; Judy Martens; Holly Bormann; Kenny Moody; Megan Moody; Jack Jamison; Tim Ellis; Cristie Ellis; Ray Jacobs; Paul Haraway; Lance Montgomery; Leslie Jacobs; Abbie Bailey; Tricia Rivera; Sherry Cobban; Marshall Morris; Mark McConnell; Don Lewis; Shane Walker; Jackson Goodwin; Michael Hogan; Ann Blasingame; Jeannie Richardson; JW Fleetwood; Debbie

Phillips; Others Unidentified.

Meeting called to order

Chairman Martens called the meeting to order. The meeting began at 7:08 a.m.

Declaration of a quorum

A quorum was declared present.

Discussion and possible action concerning minutes of regular meeting of June 10, 2024

Motion was made by Mendiola, seconded by Bailey, for approval. Vote: Mendiola aye; Bailey aye; Hamilton aye; Martens aye. Motion carried 4-0.

Receive update from Mark McConnell a representative from Northern Biogas concerning the methane project at the Sallisaw Municipal Landfill

Mr. McConnell gave an update on the methane project. Biogas is on track to have operations going by Q3 of 2026. The project is currently going through financing. The permitting process has started; 30% engineering is complete and final engineering should begin Q3 of 2024. Biogas is expecting to start construction Q3 of 2025 and continue through Q1 of 2026.

Receive a presentation from Mr. J.W. Fleetwood concerning Rural Water District #3 leaving the Sallisaw Water System

Mr. Fleetwood with Rural Water District 3 began his presentation by giving a history of the partnership between the District and the City. He feels that RWD3 joining with Sequoyah County Water will be best for the District, as well as the City. It will relieve approximately 3-8 million gallons of water from the City's back. Sequoyah County Water will have a \$3.8 million dollar investment in the project. He reviewed the current rates and contract.

Discussion and possible action on Uptown Services Statement of Work (SOW) #23, an Agreement to Provide Consulting Services to the Sallisaw Municipal Authority

Motion was made by Mendiola, seconded by Bailey, for approval of Uptown Services Statement of Work, SOW #23. Vote: Mendiola aye; Bailey aye; Hamilton aye; Martens aye. Motion carried 4-0.

Discussion and possible action on Purchase Order No. 102166, *in an Amount not to Exceed*

\$50,000.00, Issued to Calix, for the Purchase of Calix Equipment for Telecommunications

Motion was made by Bailey, seconded by Hamilton, for approval of Purchase Order No. 102166 in an amount not to exceed \$50,000.00 issued to Calix. Vote: Bailey aye; Hamilton aye; Mendiola aye; Martens aye. Motion carried 4-0.

Discussion and possible action of Change Order No. 2, in the amount of \$10,416.00, Kiowa Line Builders; Electric and Fiber Relocation HWY 59 N

Motion was made by Mendiola, seconded by Hamilton, for approval of Change Order No. 2 in the amount of \$10,416.00 to Kiowa Line Builders. Vote: Mendiola aye; Hamilton aye; Bailey aye; Martens aye. Motion carried 4-0.

Discussion and possible action on having a Sallisaw Municipal Authority Special Meeting on August 15, 2024, in order to discuss utility rates

Motion was made by Mendiola, seconded by Hamilton, to have a Special Meeting on August 15, 2024, at 5 p.m. to discuss utility rates. Vote: Mendiola aye; Hamilton aye; Bailey aye; Martens aye. Motion carried 4-0.

Administrative reports

None.

Adjourn

Motion was made by Bailey, seconded by Mendiola, to adjourn the meeting. Vote: Bailey aye; Mendiola aye; Hamilton aye; Martens aye. Motion carried 4-0. The meeting ended at 7:30 p.m.

Approved this 12th day of August 2024.

Secretary to the Authority

(SEAL)

AGENDA ITEM COMMENTARY

Meeting Date: August 12, 2024
Board: Sallisaw Municipal Authority
Subject: Bucket Truck

ITEM TITLE: Discussion and possible action on Purchase Order No. 102534, issued to Altec Industries, Inc. of Waxahachie, Texas, in the amount of \$230,830.00 for the purchase of One (1) Altec Model AT41M Bucket Truck for the Electric Department

INITIATOR: Electric Superintendent

STAFF INFORMATION SOURCE: Quotes Received

BACKGROUND: Approval of this purchase order will allow the electric department to purchase a small bucket truck. 3 quotes were received: Terex \$267,502.00; Altec \$230,830.00; and Palfinger \$195,130.23.

EXHIBITS:

1. Quote Sheet - Bucket Truck
2. Palfinger
3. Altec
4. Terex

KEY ISSUES: Although the quote from Palfinger was the lowest bid, it did not meet the specifications. We requested a 52-foot working height and the Palfinger has a 45-foot working height. The Altec truck has mobile service, if needed, and a shop in Oklahoma City. We have budgeted funds of \$260,000.

FUNDING SOURCE: #090-601-55530 Vehicle.Equipment.Electric

RECOMMENDATION: Approval of Purchase Order No. 102534, issued to Altec Industries, in the amount of \$230,830.00.

CITY OF SALLISAW QUOTATION SHEET

Cost exceeds \$2,500, two quotations required.

Cost equals \$5,000 or more, three quotations required

This TRUCK
IS ON HOLD
FOR U.S.

LEAD Time 2024

If you are quoting several items, attach list to this form **Also attach all vendor quotes received**

VENDOR 1	VENDOR 2	VENDOR 3
Date of Quotation 7-2-2024	Date of Quotation 7-2-24	Date of Quotation 7-2-24
Department Number: 601	Department Number: 601	Department Number: 601
Vendor Name / Number palfriger	Vendor Name / Number ARTEC	Vendor Name / Number TEREX
Equipment Technology		
Address 341 NW 122ND ST.	Address 1001 SOLON RD	Address 3140 15TH AVE SE
City OKC	City WAXAHACHIE	City WATFERTOWN
State OK Zip 73114	State TX Zip 75165	State SD Zip 57201
Phone 888-748-3841	Phone 816-262-3759	Phone 605-882-4000
Item (s) 1 Little Buckett	Item (s) 1 Little Buckett	Item (s) 1 Little Buckett
Quantity 1	Quantity 1	Quantity 1
Price each 195,130.23	Price each 225,910.00	Price each 267,502.00
Est. Freight	Est. Freight 4,920.00	Est. Freight
Total Cost \$ 195,130.23	Total Cost \$ 230,830.00	Total Cost \$
Quote Expiration Date 8-31-24	Quote Expiration Date 8-31-24	Quote Expiration Date 8-31-24
Quotes Obtained By: BS	Quotes Obtained By: BS	Quotes Obtained By: BS
GL Budget Line	GL Budget Line	GL Budget Line
Purchasing Approval	Purchasing Approval	Purchasing Approval
PO Number / Date: /	PO Number / Date: 102534 / 8-6-24	PO Number / Date: /

Explain if only one quotation supplied:

Quote approved: _____ Date: _____
(Purchasing Agent, Finance Director or City Manager)

1000
1000
1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000



Equipment Technology, LLC
341 NW 122nd Street
Oklahoma City, OK 73114
Phone: 888-748-3841
Fax: 405-755-6829
E-mail: sales@eti1.com

QUOTATION

Quote ID: SB0246

Page 1 of 7

Customer: Blakely Smith Jr
115 E Choctaw Ave
Sallisaw OK 74955

Quote Number: SB0246
Quote Date: 7/2/2024
Quote valid until: 8/19/2024
Customer Ref:

Contact:
Phone:
Fax:

Salesperson: rdorsey
Prepared By: sburges

QTY	DESCRIPTION
	Chassis Info - Purchased by ETI
1	2024 Chassis
1	DODGE RAM 5500 TRUCK CHASSIS 4X4 19,500 lb. GVWR 84" Cab To Axle 6.7L Cummins diesel engine 6 speed automatic transmission with PTO opening Air Conditioning AM/FM radio Vinyl 40/20/40 split bench seat Vinyl floor covering 225/70R19.5F tires - All traction Rear Fuel Tank Front tow hooks Tilt steering wheel Painted Bright White Speed control Engine block receptacle cord Anti-spin rear axle
1	Additional power distribution components required for Dodge Ram 4500/5500, Gas or Diesel chassis
	Equipment Technology, LLC Aerial Device ETC Series Combination: Articulated / Telescopic Shear Ball Rotation Bearing Body Harness with Deceleration Lanyard Two Operators and Maintenance Manuals ETCMH40IH *45' 0" Working Height *40' 0" Ground to Bottom of Bucket 30' 3" Side Reach with End Mount Bucket Continuous Rotation Fiberglass Inner Boom Hoses Inside Boom Are Contained in a Cat Trac Emergency Upper Boom Controlled Descent Valve *Based on 40" chassis frame height
1	Lower Boom Assembly with fiberglass insert for ETCMH40IH.
1	Upper Boom for ETCMH40IH with 1000# lift eye near end of outer boom.
1	Bucket bracket with 24" bucket elevator and 180 degree bucket rotator with provisions for a top mount jib.
1	Pedestal (Standard 42.25")



Equipment Technology, LLC
341 NW 122nd Street
Oklahoma City, OK 73114
Phone: 888-748-3841
Fax: 405-755-6829
E-mail: sales@eti1.com

QUOTATION

Quote ID: SB0246

Page 2 of 7

QTY	DESCRIPTION
1	Turret assembly for ETCMH40IH.
1	Reservoir, 15 gallon, floor mounted in the SS front corner of the load area.
1	Emergency Power at basket
1	Switch at lower controls wired to unit options
1	2-Speed Throttle at basket
1	Automatic engine acceleration mechanism to control the engine speed based upon hydraulic system demand.
1	Switch at rear of body wired to unit options. Locate at standard SS position.
1	Hydraulic Jib and Winch Package Hydraulic Tilting Jib Mounted on top of Boom Manual Jib Extension Manual Jib Rotation Hydraulic Winch Mounted Over Jib 60' x 1/2" Winch Line with Swivel Hook Remote Winch Control at Lower Controls
1	Non-Metallic, 4-function, Single-Handle Control with Joy Stick, winch control. (Without hydraulic tool circuit.)
1	Powder Paint White with ETI Powder Coating Process
1	400 pound bucket capacity (350 with bucket liner) for ETC40MH with bucket elevator.
1	Jib capacity for ETC40MH with elevator. 130 pound minimum capacity, 445 pound maximum capacity.
1	Hose kit for ETC40MH equipped with a 24" bucket elevator.
1	PTO/Pump, Muncie, Dodge 5500, 141%, 0.98CID - 6.6GPM@1300RPM. ***REQUIRES PTO OPENING ON TRANSMISSION***
1	Heat shield to protect exhaust pipe from leaking fittings at the PTO pump. For 2019+ RAM diesel ONLY.
1	Two DICA polyurethane outrigger pads, 18"X18"X1"
1	Storage brackets for outrigger pads under the front compartments on both sides. For pads up to 20" X 20" X 3" tall.
1	Dodge 4500/5500 Supersprings on rear axle Sumosprings on front axle
1	Stabilizer Bar, Under Frame
1	Outrigger A-Frame A-Frame Outrigger assembly mounted between body and truck and cab The outrigger valves will be mounted inside the outrigger covers. For 34" and above frame heights. 34 1/8" wide frame.
1	Outrigger/boom Interlock with covers
1	Outrigger down alarm circuit wired to backup alarm for trucks equipped with front outriggers
1	Two Inclinometers One centered in cab in view of driver One CS rear - right of Triple ID Light
1	High Pressure In-Line Hydraulic Filter
1	Extra Hydraulic filter for Aerial Device (Shipped Loose)
1	Palfinger Aerial Body - Galvanneal Steel 132" Length 96" Width 20" Deep Compartments 56" Load Area Width 40" Side Compartment Height



Equipment Technology, LLC
 341 NW 122nd Street
 Oklahoma City, OK 73114
 Phone: 888-748-3841
 Fax: 405-755-6829
 E-mail: sales@eti1.com

QUOTATION

Quote ID: SB0246

Page 3 of 7

QTY	DESCRIPTION
	25" Compartment Height Above Load Area Floor Steel Treadplate Floor Recessed Whale Tail Door Handles - Keyed alike SS1 and CS1 Compartment Size: 29" SS2 and CS2 Compartment Size: 24" SS3 and CS3 Compartment Size: 46" SS4 and CS4 Compartment Size: 33" Full Length Shelf with Rear Access Door in Curb Side Pack Master Lock System with two handles at the rear Rubber fenderette around wheel wells
1	PAB 36" Long Tailshelf Smooth plate entryway steps on curbside with grip strut step underneath. Hand rail on left hand side of entry Through box in tailshelf with a 8" x 17.5" wide opening. Access doors on both side with whale tail latches -keyed alike at the body Receiver tube at the rear (MGTW 10,000#, MAX TONGUE WEIGHT 1,200#) (CLASS IV)
1	Paint body standard White (132)
1	Non-skid coating on body front walls, compartment tops, load area walls and floor, tailshelf floor, and tailshelf entry step
1	Rear outrigger covers in the tailshelf area.
1	Face plate package for outrigger control covers at the rear of the body. Cutouts for indicator lights
1	Body Mount Kit, MH Body, Dodge or Chevy 84CA
1	Install 8 strips of 31.5" LED Strip light. On/off switch in the cab. Mount vertically in all full vertical compartments and at the top of compartment in the two horizontal compartments.
1	Tailboard, Composite, Yellow, Drop-in
1	Mudflaps installed.
1	12" Aluminum Grab Handle on rear of body on the curbside
1	Light Panel for Tailshelf. Centered cutout for backup camera.
1	Reinstall chassis backup camera system
1	Adapter bracket for backup camera to the tailshelf
1	FMVSS Standard Light Package Body Clearance Lights - Red/Amber LED Stick on Body Reflectors Backup Lights - LED Tail Lights - LED (stop/tail/turn) with 4989MINI Tag Light Triple ID Lights - LED Entryway Light - Peterson model # 397 LED
1	4 Amber surface mount strobes 2 located on front grill of chassis, SS and CS 2 located on rear tail channel, SS and CS
1	Boom Support and Bucket Support, Bolt-on.
1	No Counterweight Required for Stability
1	SS1-Adjustable Shelf with 2 dividers
2	SS2-Adjustable Shelf with 2 dividers
1	SS3-Blank
1	SS4-Adjustable Shelf with 2 dividers
2	CS1-Adjustable Shelf with 2 dividers
2	CS2-Adjustable Shelf with 2 dividers



Equipment Technology, LLC
341 NW 122nd Street
Oklahoma City, OK 73114
Phone: 888-748-3841
Fax: 405-755-6829
E-mail: sales@eti1.com

QUOTATION

Quote ID: SB0246

Page 4 of 7

QTY	DESCRIPTION
1	CS3-Adjustable Shelf with 8 dividers
1	CS4-33" Compartment, Swivel Material Hooks arranged 2-3-2. Each hook has 5 possible fixed positions
2	10 pack of extra shelving dividers. Ship loose the SS1 compartment.
1	7 Blade trailer socket in bumper mounting hole.
1	Trailer Wiring Harness Adapter – 7 Blade to 6 Prong round trailer socket. *SHIP LOOSE*
1	Wheel chocks (2) with hair pin metal handle. 8Wx10Lx5.5H with 5 inch handle
1	Unit Safety Switch - Parking brake must be set before unit will operate
1	400 Lb Basket Capacity (with outriggers down)
1	Bucket Cover with foam insert for 24X30 bucket
1	24X30 Bucket Liner-polyethylene
1	Multi-point Stainless steel grounding lug attached to tailshelf. (Standard location is CS Tailshelf rib)
1	Two amber strobe lights. ***SEE BUILD DWG***
1	DOT Kit -- 5 LB. ABC fire extinguisher mounted in cab in the tray on the floor behind the driver's seat. Triangle Warning Kit, Spare fuses for Dodge truck required per FMVSS
168	Delivery to Sallisaw, OK
1	Headache rack on front of body
1	Two amber strobe lights with headache rack mounting plates. ***Outboard***
1	DOT inspection
1	Warranty is one year parts and labor. Lifetime structural warranty on the aerial device so long as the initial purchaser owns the product.
1	Go Light Wireless Remote Control Spotlight, Model 2000 permanent mount. 400,000 candlepower. Light is wired and fused directly to the truck battery. ***SEE BUILD DRAWING***
1	Strobe light mounting bracket ***SEE BUILD DWG***
Quote Total: \$195,130.23	

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT	ADD TO QUOTE
				Yes / No

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

- ♦ Quoted price does not include any applicable taxes.
- ♦ Quote valid for 30 days.
- ♦ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.

SB0246

GENERAL TERMS AND CONDITIONS – EQUIPMENT TECHNOLOGY, L.L.C.
(Rev 4.21)

GENERAL



Equipment Technology, LLC
341 NW 122nd Street
Oklahoma City, OK 73114
Phone: 888-748-3841
Fax: 405-755-6829
E-mail: sales@eti1.com

QUOTATION

Quote ID: SB0246

Page 5 of 7

These terms and conditions, together with (a) such plans, specifications or other documents as are incorporated by reference on the face of this document and (b) such additional terms as are approved in writing by Equipment Technology, L.L.C. ("Seller") are the complete and exclusive terms and conditions applicable to the agreement between Seller and Buyer (the "Agreement"). They apply to the order, regardless of any language to the contrary appearing on Buyer's purchasing documents. Seller's acceptance is conditioned upon Buyer's assent to these terms and conditions, including additional and different terms and conditions. Seller is not bound by Buyer's terms and conditions unless expressly agreed to in writing. In the absence of written acceptance of these terms and conditions by Buyer, either acceptance of, or payment for, the Products will constitute the Buyer's acceptance. Any different or additional terms or conditions in any of Buyer's purchasing documents will be deemed material alterations, are rejected and are null and void and superseded by these terms and conditions. As used herein, "Products" means the equipment, spare parts, components, products and/or accessories and related documentation to be delivered to Buyer under the Agreement and "Buyer" means the entity whose name and address appears on a purchase order or other purchase document as the purchaser of the Products.

PRICE

Except as provided on the face of this invoice, the price stated is (a) based on U.S. dollars, (b) Ex Works-Oklahoma City, Oklahoma (INCOTERMS® 2020) or Seller's agent, and (c) net, without deductions whatsoever. Unless separately stated on the order acknowledgment, all additional costs, including, but not limited to, charges for freight, packing, carriage, and insurance will be borne by Buyer. If Seller assumes an additional cost, Seller reserves the right to adjust its price should the basis for such additional cost change.

SECURITY

Buyer hereby grants to Seller a security interest in the Products sold hereunder together with the proceeds therefrom (and the right to repossess them) to secure payment of the price for such Products until the purchase price is paid in full and agrees, and appoints Seller its agent, to take all such action and to execute and file all such documents and instruments (including, but not limited to, UCC-1 financing statements) as may be necessary or reasonably requested by Seller to perfect and continue Seller's security interest hereunder.

TAXES

Seller's prices are exclusive of any federal, state, provincial or local property, license, privilege, sales, use, excise, gross receipts or other taxes imposed upon, or measured by, the transaction, the Product, its sale, its value or its use, or any related services. Buyer will pay or reimburse any such taxes which Seller or Seller's subcontractors or suppliers are required to pay.

TERMS OF PAYMENT

Except as provided on the face of this document, payment is due to Seller within 10 days of the invoice date. Interest is payable on overdue amounts from the date(s) due, at the rate of 12% per annum, calculated and payable monthly, but in any event no higher than the highest rate permitted by law. For purposes of interest accrual, Seller is not required to give formal notice of late payment.

Payment of interest does not release Buyer from its obligation to make payments when due. If in the judgment of Seller, the financial condition of Buyer, at any time prior to Product shipment, does not justify the continuance of the work to be performed by Seller or the terms of payment specified, Seller may require full or partial payment in advance. In the event of Buyer's bankruptcy or insolvency or in the event any proceeding is brought against Buyer, voluntarily or involuntarily, under bankruptcy or insolvency laws, Seller may cancel any order then outstanding at a time during the period allowed for filing claims against the estate and shall receive reimbursement for its proper cancellation charges and expenses.

DELIVERY

Delivery dates are approximate and may be reasonably extended by Seller, if: (a) information required from Buyer to execute the order is not received in a timely manner, (b) changes which delay delivery are mutually agreed upon, (c) Seller is not able to make timely delivery by reason of hindrances which, despite due care, Seller cannot avoid (inclusive of those occurring in the works of its subcontractors and major suppliers), such as natural catastrophes, epidemics, pandemics, quarantine restrictions, acts of civil or military authority, mobilization of armed services, war, acts of terrorism, riots, strikes, boycotts, picketing, lock-outs or other disturbances, serious breakdowns, accidents, labor conflicts, delay or deficient delivery of necessary raw materials or semi-manufactured and manufactured products, the need to scrap important components due to defective casting, lack of capacity, or transport difficulties, (d) Buyer is behind schedule with work which it has to carry out, or (e) Buyer is late in fulfilling its contractual obligations (including, but not limited to, failure by Buyer to observe the terms of payment). Equipment and other large items may at Seller's option be shipped by truck if the destination is in the continental USA or in contiguous countries, unless otherwise requested in writing by Buyer. Delivery dates are based upon the stated shipment date from Oklahoma City, Oklahoma or Seller's agent, and are dependent upon (a) the day on which a signed contract is received by Seller, (b) receipt of any advance payment due with the order, and (c) obtaining any required licenses and permits.

TECHNICAL DOCUMENTS; CONFIDENTIAL INFORMATION; INTELLECTUAL PROPERTY

All technical documents are provided to Buyer on a confidential basis and remain Seller's exclusive property and Confidential Information. They may not be (a) copied or reproduced, (b) communicated to a third party, or (c) used for any purpose other than operation and maintenance of the Products purchased under this Agreement. Technical documents must be returned to Seller upon request. Information in technical documents is only approximate. Specifications may change and production tolerances have to be taken into account. Seller reserves all copyright and other intellectual property rights in its technical documents and other data provided to Buyer.

Buyer shall take all necessary precautions to prevent an unauthorized disclosure or use of Confidential Information by Buyer's employees, subagents or other intermediaries. As used herein "Confidential Information" means any and all designs, drawings, technical documentation, specifications, test results, performance data, business practices, procedures, improvements, know-how, inventions, reports, financial data or other information obtained by Buyer from Seller under the Agreement.

All intellectual property rights related to the Products delivered by Seller, including, without limitation, any and all patents, trademarks, copyright, know-how, Confidential Information, software, drawings and/or documentation or data included in, with or comprising such parts and equipment ("IP Rights"), and all ownership rights in and to the IP Rights shall remain solely and exclusively with Seller or its licensor(s), as applicable. The IP Rights shall not, without the prior written consent of Seller, be used for any other purpose than that for which they were provided for and may not be copied, reproduced, transmitted or communicated to a third party. Seller shall not be obligated to provide any manufacturing drawings of the Products to Buyer or any other information to the extent that Seller considers such information commercially sensitive.

BUYER'S SPECIFICATIONS

If Buyer provides any specifications or designs for Products, Buyer will indemnify Seller for all claims, costs and expenses (including reasonable attorney's fees and disbursements) from any patent, trademark or copyright infringement claim resulting from compliance with these specifications and designs. Seller will not be responsible for the accuracy or suitability of these specifications and designs or the performance of any products built in conformance with them.

INSPECTION AND NOTICE OF DEFECT

On receipt of the Products to be furnished, Buyer will inspect the Products for possible damage, obvious defects and for completeness. In the case of transportation damage, such damage will be noted by Buyer in detail on the bill of lading and reported immediately to the transportation provider. General remarks or reservations are not permitted. Missing parts or wrong shipments will be reported by Buyer to Seller within 2 weeks of delivery.

CANCELLATION; CHANGE ORDERS

Buyer may not cancel or change its order without Seller's written consent. Upon consent to cancellation, Buyer must immediately pay (a) all cost incurred by Seller, including overhead, and (b) a reasonable profit. Upon consent to a change, Buyer must immediately pay (a) all additional costs incurred by Seller, including overhead, and (b) a reasonable profit on such additional costs. All cancellation and change costs must be agreed upon prior to Seller's consent.

TERMINATION

Seller may terminate this agreement upon immediate written notice to Buyer, if Buyer: (a) fails to accept delivery of Products, (b) fails to cure a default in payment within 10 days after receipt of written demand, (c) fails to cure any other default within 3 days after receipt of written notice, (d) repeats any failure which is substantially similar to one previously corrected by Buyer after notice as provided in subparagraph (a) or (b) above, (e) provides information set forth in any application, claim, schedule, certificate or other document furnished by Buyer that is materially inaccurate, and (f) ceases to function as a going concern, or makes an assignment for the benefit of creditors or any proceeding under any federal or state bankruptcy, receivership or insolvency laws is instituted by or against Buyer, or the liquidation, dissolution, merger or consolidation of Buyer occurs, or a receiver or trustee for Buyer or any of its assets or property is appointed or applied for. Termination will not release or affect, and this Agreement will remain fully operative as to, any obligations or liabilities incurred by Buyer prior to the effective date of such termination; provided that all payments from Buyer to Seller will become immediately due and payable on the effective date of termination without demand and Seller may deduct from any sums it owes to Buyer sums owed by Buyer to it. Any orders received from Buyer, whether or not accepted by Seller, which have not been shipped prior to Buyer's receipt of notice of termination or the effective date of termination or expiration, whichever occurs first, will only be shipped COD or cash in advance.

RISK OF LOSS

Risk of loss or damage to the Product passes to Buyer upon delivery of the Product at the Ex Works point, regardless of whether (a) title has been passed to Buyer, (b) transport is arranged or supervised by Seller, or (c) erection or start-up is carried out under the direction or supervision of Seller.

WARRANTY

Seller warrants its Products to Buyer and guarantees its products to end-customers strictly in accordance with its standard written Consumer Warranty Policy, a copy of which will be provided to Buyer and is available at www.palfinger.com/en-us/terms-conditions (the "Consumer Warranty Policy") and the terms of this Warranty Section (together with the Consumer Warranty Policy, the "Warranty"). THIS WARRANTY IS EXCLUSIVE, IS THE SOLE WARRANTY OF SELLER, AND ALL OTHER WARRANTIES OF ANY KIND OR DESCRIPTION WHATSOEVER, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE, WHETHER EXPRESSED OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE, ARE EXCLUDED. SELLER ALSO DISCLAIMS ANY LIABILITY FOR CLAIMS ARISING OUT OF MISUSE, IMPROPER PRODUCT SELECTION, IMPROPER INSTALLATION, MODIFICATION, MISREPAIR OR MISAPPLICATION. Unless specifically agreed otherwise in writing, Seller makes NO WARRANTIES with respect to used or second hand Product(s) or to any non-Palfinger branded parts or products ("Third Party Parts"). Seller's sole obligation with respect to Third Party Parts shall be to transfer to Buyer the manufacturer's warranty for such parts, to the extent transferable.

Buyer shall promptly and at the latest within fourteen (14) days from the discovery of a defect, notify Seller in writing of any Product defect under the Warranty. If Buyer fails to give notice of such defect within the warranty period described in the Consumer Warranty Policy, Buyer shall lose all rights with respect to such defect. If defects in the Products may cause damage or danger, Buyer shall take all immediate measures, which are necessary to prevent or reduce such damage or danger.

The Warranty will not apply, and Buyer shall have no right or remedy and Seller shall have no liability or obligation under the Warranty, with respect to defects arising from (i) damage to the Product after delivery in accordance with the agreed Incoterm (ii) faulty or improper maintenance, installation, handling, service, storing or inspection (except to the extent performed by Seller), (iii) non-compliance with manufacturer's or operator's manual, operating or maintenance instructions or other instructions relating to the Product(s), (iv) repairs, alterations or adjustments carried out by parties other than Seller, (v) accidents, theft, vandalism, misuse or negligence, (vi) use of a Product for a purpose or application for which it is unfit, unsuitable or inappropriate, or (vii) normal wear and tear. Further exclusions and requirements for the warranty coverage may be included and specified in the Warranty Policy.

Buyer's sole and exclusive right and remedy, and Seller's sole and exclusive liability and obligation, for a breach of the Warranty shall be that Seller will either repair or replace the Product or refund or credit to Buyer the price Buyer paid therefor. The decision whether to repair, replace, refund or credit the Product shall be made by Seller in its sole discretion. Repaired Products and replacement Products shall be warranted for the remainder of the original warranty period.

LIMITATION OF LIABILITY

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL SELLER BE LIABLE TO BUYER OR TO ANY THIRD PARTY FOR ANY LOSS OF USE, REVENUE OR PROFIT OR LOSS OF DATA OR DIMINUTION IN VALUE, OR FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, PUNITIVE, EXEMPLARY OR SPECIAL DAMAGES WHETHER ARISING OUT OF BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, REGARDLESS OF WHETHER SUCH DAMAGES WERE FORESEEABLE AND WHETHER OR NOT SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND NOTWITHSTANDING THE FAILURE OF ANY AGREED OR OTHER REMEDY OF ITS ESSENTIAL PURPOSE. EXCEPT IN THE CASE OF CLAIMS RESULTING FROM THE GROSS NEGLIGENCE OR WILLFUL MISCONDUCT OF SELLER, TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL SELLER'S AGGREGATE LIABILITY FOR ANY CLAIMS ARISING OUT OF OR CONNECTED WITH THIS AGREEMENT OR THE MANUFACTURE, SALE, DELIVERY OR USE OF ANY PRODUCT EXCEED THE PURCHASE PRICE PAID TO SELLER FOR THE PART OR EQUIPMENT WITH RESPECT TO WHICH SUCH LIABILITY IS BASED. THE REMEDIES OF BUYER SET FORTH IN THE AGREEMENT ARE EXCLUSIVE.

GENERAL INDEMNIFICATION

Buyer hereby agrees to defend, indemnify and hold Seller and Seller's affiliates harmless from and against any injuries, losses, damages, costs, fees, judgment, settlement or other expenses (including reasonable attorney's fees) caused by, related to or arising from Buyer's operations, use, sale or ownership of the Products, or other claims however arising in connection with the use or operation of the Products, unless caused by the gross negligence or willful misconduct of Seller.



Equipment Technology, LLC
341 NW 122nd Street
Oklahoma City, OK 73114
Phone: 888-748-3841
Fax: 405-755-6829
E-mail: sales@eti1.com

QUOTATION

Quote ID: SB0246

Page 7 of 7

PARTS POLICY

Seller's goal is to have an adequate supply of spare parts available for Buyer's needs. No guarantee can be made, however, that the supply of spare parts will in fact be adequate in practice. Shipping is subject to Palfinger spare parts policy and procedure.

PRODUCT CHANGES

Seller may change its Product design at any time. Seller assumes no obligation to incorporate these changes in Products manufactured prior to the change.

DISPUTE RESOLUTION, GOVERNING LAW. Except as set out below, the parties will arbitrate any dispute or claim arising out of or relating to this Agreement or any other related agreement (a "Dispute"). The arbitration will be held in accordance with the International Arbitration Rules of the American Arbitration Association (the "AAA") and administered by the International Center for Dispute Resolution of the AAA (the "ICDR;"). The arbitration will be held at Buffalo, New York. This jurisdiction will be exclusive, except for the rights set out this Section below. All Disputes will be heard by a single arbitrator. If the parties cannot agree on a single arbitrator, one will be appointed by the ICDR. The arbitrator may not modify this Agreement. Any court having jurisdiction may enter judgment on the arbitration award. Unless otherwise agreed to by the Seller and the Buyer, or required by applicable law, they, the arbitrator and the administrator will keep confidential all matters relating to the arbitration or the arbitration award. The costs of arbitration will be borne equally by the parties and each party will be responsible for its own costs. The parties recognize that if either breaches any provision of this Agreement that prohibits it from infringing intellectual property rights in trademarks, trade names or symbols or from improperly using or disclosing confidential information, or from competing, it may cause irreparable harm to the other party. Such other party may bring an action in any court having jurisdiction in connection with any such breach, and may seek damages and injunctive or other equitable relief. The arbitration procedures above will not apply to any such breach. If either party defaults upon any payment obligation arising out of or relating to this Agreement, the other party may bring an action in any court having jurisdiction in connection with any such default. The arbitration procedures above will not apply to any such default. The Seller may send default notices to the Buyer and terminate its agreement with the Buyer without first pursuing arbitration. Any arbitration award will have a binding effect only on the actual Dispute arbitrated, and will not have any collateral effect on any other Dispute. The parties will arbitrate, or litigate each Dispute with each other on an individual basis. The parties will not consolidate their Dispute in any arbitration or litigation action with a claim by any other individual or entity. The parties waive all rights to a jury trial in any litigation. This Agreement will be construed and governed by the laws of the State of New York without reference to its conflicts of law principles. The United Nations Convention on Contracts for the International Sale of Goods (Vienna 1980) will not apply. The limitation period for any claim brought under a statute will be as provided in the statute. If the statute does not provide a limitation period or for non-statutory claims, the general limitation periods under New York law will apply.

COMPLIANCE WITH LAWS; EXPORT

Seller and Buyer shall each comply with and shall conduct its business at all times in accordance with all applicable laws and regulations, including, without limitation, anti-money laundering, bribery and anti-corruption and the US Foreign Corrupt Practices Act. Buyer shall be solely responsible for obtaining all approvals, authorizations, licenses and permits, complying with all laws, rules and regulations, and making all arrangements related to the export of Products supplied by Seller from the United States and/or the import of Products supplied by Seller into a country outside the United States. Products and related technical information, data, documents and materials are subject to export controls under U.S. Export Administration Regulations, U.S. Department of the Treasury embargo regulations and other applicable laws or regulations. Buyer shall strictly comply with all such export controls and regulations, shall fully cooperate with Seller in any official or unofficial investigation, audit or inspection that relates to any of such controls.

MISCELLANEOUS

Buyer's rights and obligations under this Agreement may not be assigned or delegated without the prior written consent of Seller. Seller may freely assign its rights and obligations. Except for the Seller's subsidiaries and affiliates, the provisions stated herein are for the sole benefit of the parties hereto, and confer no rights, benefits or claims upon any person or entity not a party hereto. This Agreement supersedes all prior written or oral agreements with respect to its subject matter. The invalidity of any part of this Agreement will not affect the validity of the remaining provisions. Seller's rights under this Agreement are cumulative and are in addition to all rights available to it at law or in equity. All claims or suits against Seller must be made within 1 year of the date the cause of action accrued (regardless of when they were discovered) or be forever barred. No waiver will be effective against Seller unless Seller agrees to it in writing. If any portion of the Agreement is found to be invalid or unenforceable by a court of competent jurisdiction, the invalid or unenforceable term shall be severed from the Agreement, and the remaining terms and conditions shall be valid and fully enforceable as written. Paragraph headlines are for convenience only and are not to be considered in interpreting any of the provisions in this Agreement.

Quoted for: City for Sallisaw

Customer Contact:

Phone: / Email:

Quoted by: Callie Byrd

Phone: 919-672-8713 / Email: callie.byrd@altec.com

Altec Account Manager: Matt Griffin

REFERENCE ALTEC MODEL		Sourcewell Price
AT41M	Articulating Telescopic Aerial Device with Material Handling Insulated, 41'	\$221,112

(A.) SOURCEWELL OPTIONS ON CONTRACT (Unit)

1	AT41M-US48M	Articulating telescopic Aerial Device with Material Handling (insulating lower arm) with 48' boom boom height (AT48M)	\$8,633
2	AT41M-AOR	Auxiliary Outriggers, Interlock, Wooden Pads / Holders (AT48M Class 5 application only)	\$9,013
3	AT41M-US48M-PE	Platform Elevator	\$4,378
4	AT41M-AWD	All Wheel Drive	\$6,739

(A1.) SOURCEWELL OPTIONS ON CONTRACT (General)

1	SL	COMPARTMENT LIGHTS in Body Compartments - Strip LED (x7 Compartment)	\$1,554
2	RBS	Rubber Belted Step	\$546
3			
4			
5			
6			
7			
8			
9			
10			
SOURCEWELL OPTIONS TOTAL:			\$251,975

(B.) OPEN MARKET ITEMS (Customer Requested)

1	UNIT	Certified 7-hole Jib	\$660
2	UNIT & HYDRAULIC ACC	N/A	\$0
3	BODY	Steel LGSS Body ilo Contract Body	-\$2,730
4	BODY & CHASSIS ACC	N/A	\$0
5	ELECTRICAL	Compartment Light Switch, Remote Spot Light, Grounding System, Grounding Lug, and 7-way Blade Trailer Receptacle	\$2,761
6	FINISHING	N/A	\$0
7	CHASSIS	2025 Dodge 5500 4x4 Reg Cab Diesel ilo Contract Chassis	-\$6,898
8	OTHER	Altec MY Adjustment	-\$19,858
OPEN MARKET OPTIONS TOTAL:			-\$26,065

SUB-TOTAL FOR UNIT/BODY/CHASSIS: \$225,910.00
 Delivery to Customer: \$4,920.00
 Extended Warranty:
 FET:
 CA Doc/Admin/Tire Fees:
 Estimated Taxes (%):
 TOTAL FOR UNIT/BODY/CHASSIS: \$230,830.00

(C.) ADDITIONAL ITEMS (items are not included in total above)

1			
2			
3			
4			

Pricing valid for 45 days

NOTES

PRICING: Altec will make every effort to honor this quotation, subject to the following provisions. Prices for equipment with production start dates 12 months and beyond are budgetary only due to irregular cost inflation and market volatility. These prices will be reviewed based on market conditions and confirmed closer to the production date. Quotes and orders with chassis model year beyond the current open order bank, should be considered estimates only. Altec's turn-key pricing is subject to change in accordance with chassis pricing received from the OEM. Chassis model year, specifications and price will be reviewed and confirmed when specific model year information becomes available from the OEM and that chassis price difference will be passed through to the customer.

PAINT COLOR: White to match chassis, unless otherwise specified

WARRANTY: Standard Altec Warranty for Aerials and Derricks - One (1) year parts warranty One (1) year labor warranty Ninety (90)

TO ORDER: To order, please contact the Altec Account Manager listed above.

CHASSIS: Per Altec Commercial Standard

DELIVERY: No later than 1-3 months ARO, FOB Customer Location

TERMS: Net 30 days

BEST VALUE: Altec boasts the following "Best Value" features: Altec ISO Grip Controls for Extra Protection, Only Lifetime Warranty on Structural Components in Industry, Largest Service Network in Industry (Domestic and Overseas), Altec SENTRY Web/CD Based Training, Dedicated/Direct Gov't Sales Manager, In-Service Training with Every Order.

TRADE-IN: Please ask your Altec Account Manager for more information

BUILD LOCATION: Creedmoor, NC



May 3, 2024
Our 95th Year

Ship To:

CITY OF SALLISAW
ALTEC NORTH TEXAS SERVICE CENTER
1001 SOLON RD
WAXAHACHIE, TX 75165-5097
US

Bill To:

CITY OF SALLISAW
PO BOX 525
ATTN: ACCOUNTS PAYABLES
SALLISAW, OK 74955-0525
United States

Attn:
Phone: 918-775-4123
Email:

Altec Quotation Number: 1610723 - 2
Account Manager: Matthew M Griffin
Technical Sales Rep: Callie Byrd

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	<u>Unit</u>	
1.	Altec Model AT48M Articulating Telescopic Aerial Device with a fiberglass upper boom and fiberglass insulator in the articulating arm and proportional joystick upper controls. Built in accordance to ALTEC's standard specifications and to include the following features:	1
2.	Pedestal	1
3.	Install Boom Mounted Components For Use With Manual Boom Securing System	1
4.	Single 1-Man Platform, Fiberglass, 24" x 30" x 42", End Mount, 180 Degree Rotation	1
5.	Platform Mounted Single Handle Controls	1
6.	Material Handling Jib/Winch, Hydraulically Articulating, Top Mounted, Round (ARM Jib)	1
7.	One (1) Platform Step - located on the side of the platform nearest the elbow in the stowed position	1
8.	Platform Elevator	1
9.	Platform Cover - soft vinyl, 24 x 30 inches (610 x 762 mm)	1
10.	Platform Liner, 24 x 30 x 42 inches (610 x 762 x 1067 mm), 50 kV Rating	1
11.	Hydraulic Tool Circuit at Platform: One set of quick disconnect couplings at the boom tip for open center tools.	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
12.	Engine Start/Stop & Secondary Stowage System: 12 VDC powered motor and pump assembly for temporary operation of the unit in a situation wherein the primary hydraulic source fails. Electric motor is powered by the chassis battery. This feature allows the operator to completely stow the booms, platform, and outriggers. Secondary Stowage & Start/Stop is activated with an air plunger at the platform or momentary switch at the lower control station and outriggers.	1
13.	Jib Stick (For ARM Jib), 36" L, Non-Extension Dependent, Certified Hotstick Tool, Orange, 7 Adjustable Pinning Holes	1
14.	Slip Ring: Required for engine start/stop, secondary stowage system, and throttle control options	1
15.	Outriggers, Primary, Modified A-Frame, 30"-34" Chassis Height, Electric Interlock, No Valves On Legs, 112" Spread, Fixed Shoe (AT48M/ME/P/PE/S/SE)	1
16.	Auxiliary Vertical H Frame Outriggers with fixed shoe. For installation on a 30 to 34 inch chassis frame height. A. Maximum Spread: 87 inches to the outer edge of shoes B. Outrigger Motion Alarms C. Outrigger Interlocks: will not allow the unit to be operated until the outriggers have been at least partially deployed	1
17.	Winch load line swivel hook	1
18.	Altec Unit Powder Painted White	1
<u>Unit and Hydraulic Acc.</u>		
19.	Scuff Pad 24 x 30 With Step For Use With Platform Liner (U&H Acc)	1
20.	Subbase	1
21.	Electric Outrigger Controls for two (2) sets of outriggers, drive hydraulic outrigger control valves. Durable weather proof sealed electronic switches mounted in aluminum boxes located at the rear of the unit unless otherwise specified.	1
22.	Temperature Sight Gauge (FA Supplied)	1
23.	Hydraulic Reservoir Custom Option 1	1
<u>Sales Text: Details:</u> - Hydraulic Reservoir, 15 Gallon, Rectangular, No Hydraulic Oil Heater. To be installed at the bulkhead. Ref PN: 991684859 Last Updated By: Callie Byrd on 30-APR-2024 09:53		
24.	Hydraulic Oil, HVI-22 with Ultraviolet Dye (Standard)	25
25.	Standard Pump For PTO	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
26.	Electric Shifted PTO	1
27.	Standard Altec PTO/Transmission Functionality for Non-Allison Automatic Transmissions: -PTO will engage when transmission is in park and the Parking Brake is engaged. -If transmission is in gear, and PTO switch is activated, PTO will not engage. Transmission will remain in gear. -Once the transmission is shifted back into gear the PTO will disengage. For some truck configurations the PTO switch must be turned off to allow the transmission to shift into gear.	1
28.	Standard Parking Brake Machine Interlock: Parking (holding) brake must be set before machine is operable.	1

Body

29.	Altec LGSS-132-84 (81) low-side general service body with step:	1
A.	Steel body	
B.	Steel structural channel crossmembers and smooth floor with ladder-style understructure	
C.	132 in body length	
D.	94 in body width	
E.	40 in body compartment height	
F.	20 in body compartment depth	
G.	24 in from body floor to compartment tops	
H.	Finish paint entire body Altec white	
I.	Undercoat applied under the body	
J.	5.5 in drop-in composite cargo retaining board at rear of body	
K.	5.5 in drop-in composite retaining board at top of side access step	
L.	Stainless steel rotary paddle latches with locks	
M.	Gas props on all vertical doors	
N.	Chains on all horizontal doors	
O.	Standard master body locking system	
P.	Hotstick shelf extending full length of body on streetside	
Q.	Two (2) hotstick brackets Installed on streetside	
R.	Standard drop-down hotstick door for one (1) shelf on streetside, stainless steel slam paddle latch with keyed lock	
S.	One chock holder on each side of body with retaining lip In fender panel	
T.	Adhesive strip lighting (LED) around top and sides of compartment door facings	
U.	1st vertical (SS) - 34 in w - One (1) outrigger housing and two (2) adjustable shelves with removable dividers on 4 in centers	
V.	2nd vertical (SS) - 24 in w - Two (2) adjustable shelves with removable dividers on 4 in centers	
W.	1st horizontal (SS) - 50 in w - One (1) fixed shelf with removable dividers on 4 in centers on bottom of compartment	
X.	Rear vertical (SS) - 24 in w - Six (6) locking swivel hooks on an adjustable rail (1-4-1)	
Y.	1st vertical (CS) - 34 in w - One (1) outrigger housing and two (2) adjustable shelves with removable dividers on 4 in centers	
Z.	2nd vertical (CS) - 24 in w - Gripstrut access steps with two (2) sloped grab handles, vented battery storage	

<u>Item</u>	<u>Description</u>	<u>Qty</u>
AA.	1st horizontal (CS) - 50 in w - One (1) adjustable shelf with removable dividers on 4 in centers and one (1) fixed shelf with removable dividers on 4 in centers on bottom of compartment	
AB.	Rear vertical (CS) - 24 in w - Six (6) locking swivel hooks on an adjustable rail (1-4-1)	
AC.	Body floor cut-out for AT48M/ME/P/PE aerial device near front of body	
AD.	Steel tailshelf, 29 in l x 94 in w, with rear cross storage and drop down doors, outrigger cutouts	
AE.	Punched Metal Cover SS and Punched Metal Cover CS with Wire Thru Cover between them.	
AF.	Underbody channels on streetside and curbside for wiring/plumbing	

Body and Chassis Accessories

30.	Set of Safety Chain Eye Bolts	1
31.	Combination 2 Ball (10,000 LB MGTW) and Rigid Pintle Hitch (16,000 LB MGTW with 3,000 LB MVL), 4-Bolt, Buyers BH82000	1
32.	ICC (Underride Protection) Bumper, Installed at Rear	1
33.	Driveaway Safety Kit	1
34.	Rubber Belted Step, 12 H 7 D 24 W, Steel, Mounted Beneath Side Access Steps (Installed to Extend Approx. 2 Outward)	1
35.	Boom Rest for a Telescopic Unit (Located in Cargo Area), Manual Boom Latch	1
36.	Manual Boom Stow Securing System Installed on Boom Rest	1
37.	Articulating Arm Rest for a Telescopic Unit	1
38.	Platform Rest, Rigid with Rubber Tube, 24 Inch	1
39.	Wood Outrigger Pad, 19 x 19 x 2.5 with Rope Handle (Reforge/Altec Preferred)	4
40.	Outrigger Pad Holder, 20 L x 20 W x 7 H Fits 19.5 x 19.5 and Smaller Pads (Dual Capacity) Bolt-On Bottom, Washout Holes with 3/4 Inch Lip Retainer, Steel	2
41.	Pendulum Retainers For Outrigger Pad Holders	2
42.	Wheel Chocks Rubber with Metal Hairpin Handle 9.75 L x 7.75 W x 5 H (Pair) (Altec Preferred)	1
43.	Mud Flaps with Altec Logo (Pair)	1
44.	Spare Tire and Wheel Shipped Loose in Cargo Area (Provided with Chassis)	1
45.	Safety Harness and 4.5 Ft Lanyard (Fits Medium to Xlarge)	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
46.	Slope Indicator Assembly for Machine with Outrigger	1
47.	Vinyl Manual Pouch for Storage of All Operator and Parts Manuals	1
<u>Electrical Accessories</u>		
48.	Compartment Lights Wired to Dash Mounted Master Switch in Chassis Cab	1
49.	Lights And Reflectors In Accordance With FMVSS 108 (Complete LED)	1
50.	Strobe Beacon Amber LED with Brush Guard (Standard) (Tecniq #K10-AAAD-1) Class II (Permit May Be Required) (Altec/Stock Preferred)	2
<u>Sales Text: Details:</u> - One (1) post mounted on each side at front of body Last Updated By: Callie Byrd on 30-APR-2024 09:53		
51.	4-Corner Strobes, Amber, LED, Two (2) Surface Mounted Lights In Grille, Two (2) Round Lights At Rear, Class II (Permit May Be Required)	1
52.	Strobe Lights Wired Ignition Hot	1
53.	Remote Spot Light, LED, Permanent Mount, With Programmable Wireless Remote (Go-Light #30004ST)	1
<u>Sales Text: Details:</u> -Install on SS chassis fender Last Updated By: Callie Byrd on 30-APR-2024 09:53		
54.	Dual Tone Backup Alarm With Outrigger Motion Alarm	1
55.	Altec Standard Multi-Point Grounding System	4
56.	Grounding Lug, Copper, U-Shaped, Threaded	1
<u>Sales Text: Details:</u> -Installed on ICC bumper, CS. Last Updated By: Callie Byrd on 30-APR-2024 09:53		
57.	PTO Hour Meter, Digital, With 10 000 Hour Display	1
58.	Trailer Receptacle, 7-Way (Blade Type) Installed At Rear	1
59.	Altec Standard Trailer Plug Wiring	1
60.	Upfitter Switches, Dodge (Supplied with Chassis)	1
61.	Power Distribution Module (PDM-6) is a compact self-contained electronic system that provides a standardized interface with the chassis electrical system. (Includes Operator's Manual)	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
62.	Install Chassis (OEM) Supplied Backup Camera In Final Assembly	1
63.	Install Remote Engine Start/Stop and Secondary Stowage Systems in Final Assembly	1
64.	Heavy Duty Secondary Stowage Pump (Supplied By Final Assembly)	1
65.	PTO Indicator Light, Installed In Cab	1
<u>Finishing Details</u>		
66.	Front and Rear Frame Mounted and Under Body Mounted Components (With the Exception of Rust Resistant Components) Will Be Painted Black DEPS 005 DEPS 095 (Includes Non OEM Front Bumpers and Cabguards)	1
67.	Powder Coat Unit Altec White	1
68.	Apply Non-Skid Coating (Black) to All Walking Surfaces DEPS 057	1
69.	Placard, Engine Block Heater	1
70.	Safety and Instructional Decals English	1
71.	Vehicle Height Placard Installed In Cab DEPS 002	1
72.	HVI-22 Hydraulic Oil Placard	1
73.	Dielectric Test Unit According to ANSI Requirements	1
74.	Stability Test Unit According to ANSI Requirements	1
75.	Focus Factory Build	1
76.	Delivery Of Completed Unit	1
77.	Inbound Freight	1
78.	As Built Electrical and Hydraulic Schematics to be Included In the Manual Pouch (Deps 024)	1
79.	Completed Test Forms To Be Included In The Manual Pouch: -Stability Test Form -Dielectric Test Form (For Insulated Units)	1
80.	In-Cab Component Installation for Dodge Chassis (AT37/41/48)	1
<u>Chassis</u>		
81.	Altec Supplied Chassis	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
82.	Chassis	1
83.	2024 Model Year	1
84.	Dodge Ram 5500	1
85.	Dual Rear Wheel	1
86.	4x4	1
87.	Chassis Cab	1
88.	Regular Cab	1
89.	Chassis Color - White	1
90.	AM/FM Radio	1
91.	Bluetooth	1
92.	Dodge Uconnect	1
93.	Block Heater	1
94.	Cold Weather Group (Includes Block Heater)	1
95.	Limited Slip Rear Axle	1
96.	Running Boards (Supplied By Chassis OEM)	1
97.	Skid Plate	1
98.	Snow Plow Package	1
99.	Trailer Brake Controller (Factory Installed)	1
100.	Side Mirrors, Power Adjusting, Manual Folding, Non-Telescopic with Heated Glass	1
101.	Cruise Control	1
102.	12V DC Power Outlet	1
103.	Air Conditioning	1
104.	Backup Camera, OEM Supplied	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
105.	Keyless Entry	1
106.	Power Door Locks	1
107.	Power Windows	1
108.	Spare Tire	1
109.	Tilt Steering Wheel	1
110.	84 Clear CA (Round To Next Whole Number)	1
111.	GVWR 19,500 LBS	1
112.	7,250 LBS Front GAWR	1
113.	13,500 LBS Rear GAWR	1
114.	Spring Suspension	1
115.	Cummins 6.7L Turbo Diesel (Dodge)	1
116.	Diesel	1
117.	Aisin AS69RC Automatic Transmission (Dodge Chassis)	1
118.	4.44 Axle Ratio	1
119.	NFH - RAM 52 Gallon Fuel Tank (Rear)	1
120.	RAM 9 Gallon DEF Tank (Under Cab Left Hand)	1
121.	Dodge 3500-5500 Single Horizontal Right Side Exhaust	1
122.	No CARB Clean Idle Certification Required	1
123.	EPA Clean Idle Certification	1
124.	EPA Emissions	1
125.	Hydraulic Brakes	1
126.	Park Brake In Rear Wheels	1
127.	AZB - Heavy Duty Front Suspension Group	1
128.	Dodge PTO Prep Package (Right Hand Side PTO) (LBN)	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
129.	Vinyl Split Bench Seat	1
<u>Additional Pricing</u>		
130.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1
<u>Miscellaneous</u>		
131.	Non-CARB Registered State	1

Unit / Body / Chassis Total	230,830.00
FET Total	0.00
Total	230,830.00

Altec Industries, Inc.

BY _____

Callie Selleck Byrd , Technical Sales Representative

Notes:

- 1 Altec will make every effort to honor this quotation, subject to the following provisions. Prices for equipment with production start dates 12 months and beyond are budgetary only due to irregular cost inflation and market volatility. These prices will be reviewed based on market conditions and confirmed closer to the production date.

For a quoted chassis model year beyond the current open order bank, chassis model year, specifications and price should be considered estimates only and subject to change. Chassis model year, specifications and price will be reviewed and confirmed when specific model year information becomes available from the OEM.
- 2 Estimated Delivery: 1-3 months after receipt of order PROVIDING:
A. Customer supplied chassis (if applicable) is received a minimum of sixty (60) days before scheduled delivery.
B. Customer approval drawings are returned by requested date.
C. Customer supplied accessories are received by date necessary for compliance with scheduled delivery.
D. Customer expectations are accurately captured prior to major components being ordered (body, chassis) and line set date. Unexpected additions or changes made after this time or at a customer inspection will delay the delivery of the vehicle.

Estimated Delivery is based on information at time of quote and is subject to change.

Altec reserves the right to change suppliers in order to meet customer delivery requirements, unless specifically identified, by the customer, during the quote and or ordering process.
- 3 This quotation is valid until JUN 09,2024. After this date, please contact Altec Industries, Inc. for a possible extension.
- 4 F.O.B. - Customer Site

- 5 Interest charge of 1/2% per month to be added for late payment.
- 6 FINANCING AVAILABLE: Please contact Altec Capital at (888) 408-8148 or email finance@altec.com for more information.
- 7 Price does not reflect any local, state or Federal Excise Taxes (F.E.T). The quote also does not reflect any local title or licensing fees. All appropriate taxes will be added to the final price in accordance with regulations in effect at time of invoicing.
- 8 Changes made to this order may affect whether or not this vehicle is subject to F.E.T. A review will be made at the time of invoicing and any applicable F.E.T. will be added to the invoice amount.
- 9 Any payment made by a credit card may be subject to a surcharge fee.
- 10 Altec Standard Warranty:
- One (1) year parts warranty.
- One (1) year labor warranty.
- Ninety (90) days warranty for travel charges.
- Warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.
- Altec is to supply a self-directed, computer based training (CBT) program. This program will provide basic instruction in the safe operation of this aerial device. This program will also include and explain ANSI and OSHA requirements related to the proper use and operation of this unit.
- Altec offers its standard limited warranty with the Altec supplied components which make up the Altec Unit and its installation, but expressly disclaims any and all warranties, liabilities, and responsibilities, including any implied warranties of fitness for a particular purpose and merchantability, for any customer supplied parts
- Altec designs and manufactures to applicable Federal Motor Vehicle Safety and DOT standards
- 11 Altec Extended Warranty Option:
- An Altec Extended Warranty is an extension of Altec's Limited Warranty and protects you from the repair cost associated with defects of materials and workmanship after the standard Limited Warranty expires.
- Altec offers many types of coverages and coverage packages. Ask your Altec account manager for details. Quotes are available upon request.
- 12 After the initial warranty period, Altec Industries, Inc. offers mobile service units, in-shop service and same day parts shipments on most parts from service locations nationwide at an additional competitive labor and parts rate. Call 877-GO-ALTEC for all of your Parts and Service needs.
- 13 Trade-in offer is conditional upon equipment being maintained to DOT (Department of Transportation) operating and safety standards and remaining in compliance of DOT until arrival at an Altec Facility. This will include, but is not limited to engine, tires, lights, brakes, glass, etc. All equipment, i.e., jibs, winches, pintle hooks, trailer connectors, etc., are to remain with unit unless otherwise agreed upon in writing by both parties. ALTEC Industries reserves the right to re-negotiate its trade-in offer if these conditions are not met.
- All reasonable and necessary expenses required of ALTEC Industries to execute transportation of the trade-in will be invoiced to the customer for payment if these conditions are not met to maintain DOT standards.

Customer may exercise the option to rescind this agreement in writing within sixty (60) days after receipt of purchase order. After that time ALTEC Industries will expect receipt of trade-in vehicle upon delivery of new equipment as part of the terms of the purchase order unless other arrangements have been made.

- 14 The final fully loaded weight of the truck and structural ratings of the hitch assembly may reduce the towing capacity and the vertical load capacity of the finished truck. These capacities may not match the ratings of the chassis or hitch.
- 15 Altec takes pride in offering solutions that provide a safer work environment for our customers. In an effort to focus on safety, we would encourage you to consider the following items:

Outrigger pads (When Applicable)
Fall Protection System
Fire extinguisher/DOT kit
Platform Liner (When Applicable)
Altec Sentry Training
Wheel Chocks

The aforementioned equipment can be offered in our new equipment quotations. If you find that any of these items have not been listed as priced options with an item number in the body of your quotation and are required by your company, we would encourage you to contact your Altec Account Manager and have an updated quote version sent to you. These options must be listed with an item number in the quotation for them to be supplied by Altec.

- 16 Altec values your data privacy. The Altec Family of Companies (including Altec, Inc., and its subsidiaries) may collect telematics data from the equipment you own. Please review Altec's Equipment Data Privacy Notice on www.altec.com for more information. By purchasing equipment from Altec, you consent to Altec's right to collect and use such data.
- 17 **RECOMMENDED OPTIONS AND ACCESSORIES:** These options are not included in the quote total price. Selected options will change the quote total. Any options added after initial order will be re-quoted.



CUSTOMER ORDER ACKNOWLEDGEMENT

Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024 **Quote Number:** QU33594-TU-V1 **Unit:** TL48

City of Sallisaw
PO Box 525
Sallisaw , OK 74955

Baseline Price: \$267,502.00

Grand Total Each: **\$267,502.00**

This written description and attached specifications have been produced by Terex USA, LLC dba Terex Utilities and shall not be released, disclosed, nor duplicated without the written permission of Terex USA, LLC dba Terex Utilities, Inc.

Prices are subject to change until shipment. Applicable taxes and any applicable surcharges to be added. Taxes, shipping, handling and lead times are estimates and subject to change. Quoted prices are based on total package and subject to change if all items not purchased. All prices quoted are in U.S. dollars unless otherwise specified. Payment by cash or certified check only. **Chassis price based off current pricing available at time of quote. Pricing is subject to change based on vehicle sourcing; final price to be confirmed prior to time of invoice.** Chassis payment is due within 30 days of chassis receipt at our facility. Quote withdrawn after 60 days.

Please ensure the accuracy of the specifications and drawings you provide. Changes made after receipt of order may incur additional charges. If you are trading equipment in, you warrant that: You have good title to the trade-in; it is free of all liens and encumbrances; all information you have provided related to the trade-in is true and correct.

Terex purchased chassis through Terex preferred International Dealer will include at no additional cost a special tow package for 12 months/unlimited mileage to nearest International Dealership for a warrantable failure. Coverage limited to \$550 per incident. For roadside assistance call 1-800-448-7825.

Terex-purchased chassis through Terex preferred Freightliner Dealer will include at no additional cost a special tow package for 12 months/unlimited mileage/KM extended towing coverage \$550 cap FEX applies. For roadside assistance call 1-800-FTL-HELP.

Notes:

- 1) Delivery Terms are CPT - 2020 .
 - Delivery to customer included.
- 2) Payment Terms are Net 30 Pending Approval .
- 3) Delivery days from receipt of order shall be 520-720 Days .

Buyer hereby agrees to purchase the products in this quotation, subject to acceptance by Seller. Buyer has read and agrees to Seller's Terms and Conditions of Sale.

Buyer agrees that it shall not export or re-export Terex equipment or parts, technology, information or warranty related services directly or with its knowledge indirectly into: (a) Russia, Belarus or the following regions of Ukraine: Crimea, Sevastopol, Donetsk People's Republic (DNR), Luhansk People's Republic (LNR), Kherson and Zaporizhzhia; or (b) Iran, Cuba, Syria or North Korea without first obtaining written approval from Seller.

Terex USA, LLC dba Terex Utilities

Project Leader: Jason Tvedt

Account Manager: Jeff Svymbersky

Accepted By: _____
PO Number: _____
Quantity: _____
Grand Total: _____
Date: _____



TEREX USA, LLC dba TEREX UTILITIES ("Seller")
TERMS AND CONDITIONS OF SALE
U.S. and CANADA (except Quebec)

1. Terms and Conditions. The provision by Seller to Buyer of any Equipment or Parts (collectively referred to as "Products") shall be exclusively governed by these Terms and Conditions of Sale ("Terms and Conditions") and Seller's sales order acknowledgement (collectively referred to as "Agreement"). This Agreement cancels and supersedes any and all terms and conditions previously issued by Seller and shall remain in effect unless and until superseded in writing by Seller. Acceptance of an order for Products by Seller shall be deemed to constitute a binding agreement between the parties pursuant to these Terms and Conditions and Buyer agrees that the order may not thereafter be countermanded or otherwise changed without the explicit prior written consent of Seller. No other terms and conditions shall apply, including the terms of any purchase order submitted to Seller by Buyer, whether or not objected to by Seller or whether or not such terms are inconsistent or conflict with or are in addition to these Terms and Conditions. These Terms and Conditions shall be deemed accepted by Buyer if any of the following occurs: (i) if confirmed by Buyer, (ii) if undisputed by Buyer within ten (10) days after receipt, or (iii) if Seller delivers Products to Buyer. Any communication construed as an offer by Seller and acceptance thereof is expressly limited to these Terms and Conditions. The Products are intended for industrial/commercial use by professional contractors and their trained employees and are not intended for use by consumers.

2. Terms of Payments. Payment for Products purchased by Buyer shall be made in accordance with any of the following terms, provided they have been previously arranged with and expressly approved by Seller in writing: (1) cash in advance; (2) confirmed, irrevocable letter of credit established in such amount and form and at such time and at such bank as shall be approved by Seller in respect of each order; (3) credit account purchases for which payment will be due and payable on net thirty (30) day terms, plus service and other charges applicable to past due amounts in accordance with Seller's written notices; or (4) other payment arrangements expressly approved by Seller in writing prior to or at the time the order is placed. If any Buyer credit account purchase is not paid in accordance with Seller's credit payment terms, in addition to any other remedies allowed in equity or by law, Seller may refuse to make further shipments without advance payment by Buyer. Nothing contained herein shall be construed as requiring Seller to sell any Products to Buyer on credit terms at any time, or prohibiting Seller from making any and all credit decisions which it, in its sole discretion, deems appropriate for Seller. Seller shall have the right, at its option, to charge interest on all amounts not paid when due and Buyer agrees to pay such interest calculated on a daily basis, from the date that payment was due until the Seller receives payment in full, at the rate of 1.5% per month or the maximum rate permitted by applicable law. Unless otherwise agreed in writing between Seller and Buyer, Seller may, in its sole discretion, increase or decrease the price of any Product, as Seller deems reasonably necessary, at any time prior to shipment and invoice Buyer for the same. If Buyer orders the chassis through Seller, the chassis payment is due upon receipt of chassis by Seller and the balance owed for the completed unit is due in accordance with agreed upon payment terms. When supplied by Buyer, Seller will inspect the chassis upon receipt and will notify Buyer of any chassis mounted components (including but not limited to fuel tanks, air tanks, battery boxes and exhaust systems) that require relocation. Buyer will be invoiced for such work upon completion of the finished Equipment.

3. Taxes and Duties. Unless otherwise noted, prices quoted do not include taxes or duties of any kind or nature. Buyer agrees that it will be responsible for filing all tax returns and paying applicable tax, duty, export preparation charge and export documentation charge resulting from the purchase of the Products. In addition, in the event any other similar tax is determined to apply to Buyer's purchase of the Products from Seller, Buyer agrees to indemnify and hold Seller harmless from and against any and all such other similar taxes, duties and fees. All prices quoted are U.S. dollars unless otherwise specified. The amount of any present or future taxes applicable to the sale, transfer, lease or use of the Products shall be paid by Buyer; or in lieu thereof, Buyer shall provide Seller with a tax exemption certificate satisfactory to the applicable taxing authority proving that no such tax is due and payable upon such sale, transfer, lease or use.

4. Title, Property, Risk and Delivery. Unless otherwise stated in writing, for all intra-continental United States shipments, all prices and delivery are FCA, point of manufacture (Incoterms 2020); for all other shipments, all prices and delivery are FAS, named port of shipment (Incoterms 2020). Title and all risk of loss or damage to Products shall pass to Buyer upon delivery, as per Incoterms 2020. Any claims for loss, damage or delay in transit must be entered and prosecuted by the Buyer directly with the carrier, who is hereby declared to be the agent of the Buyer. Seller shall not be liable for any delay in performance of this agreement or delivery of the Products, or for any damages suffered by Buyer by reason of delay, when the delay is caused, directly or indirectly, by a force majeure event described in Section 20 herein or any other cause beyond Seller's control. Claims for shortages in shipments shall be deemed waived and released by Buyer unless made in writing within five (5) days after Buyer's receipt of shipment. Seller's responsibility for shipment shall cease upon delivery of the Products to the place of shipment, and all claims occurring thereafter shall be made to or against the carrier by Buyer. Delivery shall generally be 240 to 270 days after receipt by Seller of a signed Order, provided that, where applicable: (1) Seller receives the chassis a minimum of 90 days prior to scheduled delivery, (2) drawings are timely sent by Buyer and the approved drawings are returned to Seller by Buyer by the requested date, (3) all vendor-supplied components and Buyer-supplied accessories are received by Seller by the date necessary to comply with scheduled delivery. Seller shall not be liable for any delay in performance of this agreement or delivery of the Products, or for any damages suffered by Buyer by reason of delay, when the delay is caused, directly or indirectly, by a force majeure event described in Section 20 herein or any other cause beyond Seller's control. Claims for shortages in shipments shall be deemed waived and released by Buyer unless made in writing within fifteen (15) days after Buyer's receipt of shipment. Seller's responsibility for shipment shall cease upon delivery of the Parts and or Equipment to the place of shipment, and all claims occurring thereafter shall be made to or against the carrier by Buyer.

5. Delays Caused By Buyer. In the event of a delay in shipment or delivery due to delay by Buyer in furnishing delivery instructions, arranging a method of payment satisfactory to Seller, submitting valid import permits or licenses, or any other delay caused by Buyer or at Buyer's request, if the Products are not shipped or delivered within five (5) days from the first date they are ready to be shipped or



delivered, then Seller shall be entitled to charge, as compensation, any additional costs incurred related to such delay. If the Products are not shipped or delivered by the date which is ten (10) days from the first date they are ready to be shipped or delivered, then Buyer's order shall be deemed cancelled and Seller may, in its sole discretion, sell such Products to another buyer without any liability or responsibility to Buyer whatsoever. Seller shall have the right to keep payments on account already received from Buyer, and the difference between the sales price (increased by any other and all further costs, including but not limited to attorney's fees and expenses, storage and other costs, and interest accrued thereon) and the price received from another buyer shall constitute a debt of Buyer and bear interest at the same rate set forth in Section 2 herein. Seller shall be entitled to claim for any further damages suffered as a consequence of Buyer's breach of its obligations hereunder.

6.Cancellation. Prior to delivery to place of shipment, a Product order may be cancelled only with Seller's prior consent and upon terms indemnifying Seller from all resulting losses and damages. Seller shall have the right to cancel and refuse to complete a Product order if any term and/or condition governing this agreement is not complied with by Buyer. In the event of cancellation by Seller, or in the event Seller consents to a request by Buyer to stop work or to cancel the whole or any part of any order, Buyer shall, in the event that Seller asks Buyer to do so, make reimbursement to Seller, as follows: (i) any and all work that can be completed within thirty (30) days from date of notification to stop work on account of cancellation shall be completed, shipped and paid in full; and (ii) for work in progress and any materials and supplies procured or for which definite commitments have been made by Seller in connection with the order, Buyer shall pay such sums as may be required to fully compensate Seller for actual costs incurred, plus fifteen percent (15%). Buyer may not cancel any order after Seller's delivery to place of shipment. Orders for "Special" Equipment may not be cancelled after acceptance, except by Seller. Items of "Special" Equipment are those that differ from standard Seller specifications, have a limited market, or incorporate specifications that have been determined for a specific application. Determination of whether an item of Equipment is "Special" shall be made by Seller in its sole discretion.

7. Inspection and Acceptance. Buyer agrees that it shall inspect the Products immediately after receipt and promptly (in no event later than fifteen (15) days after receipt) notify Seller in writing of any non-conformity or defect. Buyer further agrees that failure to give such prompt notice or the commercial use of the Products shall constitute acceptance. Acceptance shall be final and Buyer waives the right to revoke acceptance for any reason, whether or not known by Buyer at the time of such acceptance. The giving of any such notice by Buyer shall automatically cause the provisions of Seller's warranty to apply and govern the rights, obligations and liabilities of the parties with respect to such nonconformity or defect, provided under no circumstances shall rejection give rise to any liability of Seller for incidental or consequential damages or losses of any kind. Seller shall not be bound by any agent's, employee's or any other representation, promise or inducement not set forth herein. Seller's catalogues, technical circulars, price lists, illustrations, drawings and any other similar literature are for Buyer's general guidance only and the particulars contained in them shall not constitute representations by Seller and Seller shall not be bound by them.

8. Warranty for New Products. Seller warrants its new Equipment and Parts manufactured and sold worldwide, to be free, under normal use and service, of any defects in material or workmanship for a period of twelve (12) months from the date of delivery (as limited by Seller's Limited Product Warranty); provided that Buyer sends Seller written notice of the defect within thirty (30) days of its discovery and establishes that: (i) the Equipment has been operated and maintained in strict compliance with Seller's operating and maintenance manuals; and (ii) the defect did not result in any manner from the intentional or negligent action or inaction of Buyer, its agents or employees and (2) a new machine registration certificate has been completed, signed and delivered to the Seller within thirty (30) days of the Equipment's "in-service" date. If requested by Seller, Buyer must return any defective Product to Seller's manufacturing facility, or other location designated by Seller, for inspection, and if Buyer cannot establish that conditions (i) and (ii) above have been met, then this warranty shall not cover the alleged defect. Failure to give written notice of defect within such period shall be a waiver of this warranty and any assistance rendered thereafter shall not extend or revive it. Accessories, assemblies and components included in the Products of Seller, which are not manufactured by Seller, are subject to the warranty of their respective manufacturers. This warranty shall not cover any item on which serial numbers have been altered, defaced or removed. Maintenance and wear parts are not covered by this warranty and are the sole maintenance responsibility of Buyer. This warranty is limited to the original purchaser or end-user if sold to a distributor, and is not assignable or otherwise transferable without written agreement of Seller. **THIS WARRANTY IS EXPRESSLY IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED (INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) AND ALL OTHER OBLIGATIONS OR LIABILITY ON SELLER'S PART. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE LIMITED WARRANTY CONTAINED HEREIN.** Seller neither assumes nor authorizes any other person to assume for Seller any other liability in connection with the sale of Seller's Products. This warranty shall not apply to any of Seller's Products or any part thereof which has been subject to misuse, alteration, abuse, negligence, accident, acts of God or sabotage. No action by either party shall operate to extend or revive this limited warranty without prior written consent of Seller

9. Warranty for Used Equipment. Used Equipment sold hereunder is sold on an "AS IS, WHERE IS, WITH ALL FAULTS" BASIS WITH NO WARRANTIES WHATSOEVER, EXCEPT AS TO TITLE, UNLESS OTHERWISE SPECIFICALLY AGREED IN WRITING BY BUYER AND SELLER. SELLER ASSUMES NO RESPONSIBILITY FOR THE CONDITION, SAFETY, LEGAL COMPLIANCE, OR USABILITY OF THE USED EQUIPMENT AND MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THE USED EQUIPMENT INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SELLER MAKES NO REPRESENTATION OR WARRANTY REGARDING THE CONDITION OF THE USED EQUIPMENT, NOR THE SUFFICIENCY OF ANY WARNINGS, INSTRUCTIONS OR MANUALS PROVIDED WITH THE USED EQUIPMENT. Seller recommends and Buyer acknowledges that Buyer should contact the original manufacturer to obtain all available information for the used Equipment, including but not limited to product manuals, warnings, safety bulletins, recall notices, and instructional placards before using the used Equipment. Seller shall not be responsible for providing such information. Buyer agrees not to assert any claims against Seller with respect to the used Equipment or its use. Buyer agrees that it shall inspect the used Equipment prior to issuance of a purchase order for such Equipment and acknowledges that it is not relying upon



any photographs, images, videos, representations, statements or other assertions made by Seller with respect to the used Equipment's condition, but is relying upon its own knowledge and/or inspection of the used Equipment.

10. Remedies for Breach. IN THE EVENT OF ANY BREACH OF THE WARRANTY BY SELLER, THE PARTIES AGREE THAT SELLER'S LIABILITY SHALL BE LIMITED EXCLUSIVELY TO THE REMEDIES OF REPAIR OR REPLACEMENT (AT SELLER'S SOLE DISCRETION) OF ANY DEFECTIVE EQUIPMENT COVERED BY THE WARRANTY. In no event shall any repair or replacement of any defective equipment covered by the Seller's warranty extend the length of the warranty beyond the period specified in Section 8 herein.

11. Limitation of Liability. NOTWITHSTANDING ANYTHING CONTAINED IN THIS AGREEMENT TO THE CONTRARY, Seller and its affiliates shall not be liable for, and specifically disclaim, any liability for any: (a) LOST PROFITS and/or business interruption (WHETHER DIRECT OR INDIRECT); and (b) indirect, incidental, consequential (whether direct or indirect) or other damages or losses of any kind whatsoever, including, without limitation, labor costs, lost profits, loss of use of other equipment, third party repairs, personal injury, emotional or mental distress, improper performance or work, penalties of any kind, loss of service of personnel, or failure of Products to comply with any federal, state, provincial or local laws, regardless of whether arising from a breach of contract, or warranty, legal claims or otherwise. Nothing in this Section shall operate to exclude Seller's liability for death or personal injury when directly related to Seller's negligent act or omission.

12. Limitation of Actions. Any action for breach of this agreement must be commenced within one (1) year after the cause of action has accrued.

13. Specification Changes. In the event Seller incurs additional expense because of changes in specifications or drawings previously approved by Buyer, or in the event Seller is required to modify the ordered Equipment, perform any additional work or supply any additional Products, the additional expense shall be added to the purchase price. Buyer must submit to Seller a revised purchase order specifying any and all requested changes. Upon receipt of Buyer's revised purchase order, Seller shall have the right, in its sole discretion, to accept or reject any changes in specifications requested by Buyer.

14. Trade-in Offers. Trade-in offers are subject to Seller's inspection and acceptance of the equipment, which must have been maintained to U.S. Department of Transportation operating and safety standards. All accessories on the equipment, including without limitation jibs, winches, pintle hooks and trailer connectors, must remain with the equipment unless otherwise agreed by Seller and Buyer in writing. Seller reserves the right to cancel any trade-in offers or agreements if these conditions are not met, or if Buyer has misrepresented any information about the trade-in unit.

15. Insurance. Until the purchase price of any Products is paid in full, the Buyer shall provide and maintain insurance equal to the total value of the Equipment delivered hereunder against customary casualties and risks; including, but not limited to fire and explosion, and shall also insure against liability for accidents and injuries to the public or to employees, in the names of Seller and Buyer as their interest may appear, and in an amount satisfactory to Seller. If the Buyer fails to provide such insurance, it then becomes the Buyer's responsibility to notify the Seller so that the Seller may provide same; and the cost thereof shall be added to the contract price. All loss resulting from the failure to affect such insurance shall be assumed by the Buyer.

16. Patents, Copyrights, Trademarks, Confidentiality. No license or other rights under any patents, copyrights or trademarks owned or controlled by Seller or under which Seller is licensed are granted to Buyer or implied by the sale of Products hereunder. Buyer shall not identify as genuine products of Seller products purchased hereunder which Buyer has treated, modified or altered in any way, nor shall Buyer use Seller's trademarks to identify such products; provided, however, that Buyer may identify such products as utilizing, containing or having been manufactured from genuine products of Seller as treated, modified or altered by Buyer or Buyer's representative, upon prior written approval of Seller. All plans, photographs, designs, drawings, blueprints, manuals, specifications and other documents relating to the business of Seller ("Information") shall be and remain the exclusive property of Seller and shall be treated by Buyer as confidential information and not disclosed, given, loaned, exhibited, sold or transferred to any third party without Seller's prior written approval; provided, however, that these restrictions shall not apply to Information that Buyer can demonstrate: (a) at the time of disclosure, is generally known to the public other than as a result of a breach of this Agreement by Buyer; or (b) is already in Buyer's possession at the time of disclosure by from a third party having a right to impart such Information.

17. Default and Seller's Remedies. In the event of default by Buyer, all unpaid sums and installments owed to Seller, shall, at Seller's sole option, become immediately due and payable without notice of any kind to Buyer. In addition to its right of acceleration, Seller may pursue any and all remedies allowed by law or in equity, including but not limited to any and all remedies available to it under the Delaware Uniform Commercial Code. In addition to the foregoing, and not in limitation thereof, Seller shall have the right to set off any credits or amounts owed to Buyer against any amounts owed by Buyer to Seller.

18. Indemnification by Buyer. Buyer hereby agrees to indemnify, release, defend and hold harmless Seller, its directors, officers, employees, agents, representatives, successors, and assigns against any and all suits, actions or proceedings at law or in equity (including the costs, expenses and reasonable attorney's fees incurred in connection with the defense of any such matter) and from any and all claims demands, losses, judgments, damages, costs, expenses or liabilities, to any person whatsoever (including Buyer's and Seller's employees or any third party), or damage to any property (including Buyer's property) arising out of or in any way connected with the performance or the furnishing of Products under this agreement, regardless of whether any act, omission, negligence (including any act, omission or negligence, relating to the manufacture, design, repair, erection, service or installation of or warnings made or lack thereof with respect to any Products furnished hereunder) of Seller, its directors, officers, employees, agents, representatives,



successors or assigns caused or contributed thereto. If Buyer fails to fulfill any of its obligations under this paragraph or this agreement, Buyer agrees to pay Seller all costs, expenses and attorney's fees incurred by Seller to establish or enforce Seller's rights. The provisions of this paragraph are in addition to any other rights or obligations set forth in this agreement.

19. Installation. Unless otherwise expressly agreed in writing, Buyer shall be solely responsible for the installation and erection of the Products purchased. Although Seller may in some cases provide a serviceman, data and drawings to aid Buyer with installation or start-up, Seller assumes no responsibility for proper installation or support of any Products when installed and disclaims any express or implied warranties with respect to such installation and support. Notwithstanding whether data and drawings are provided or a serviceman aids in the installation, Buyer shall indemnify and hold Seller harmless and at Seller's request, defend Seller from all claims, demands or legal proceedings (including the costs, expenses and reasonable attorney's fees incurred in connection with the defense of any such matter) which may be made or brought against Seller in connection with damage or personal injury arising out of said installation or start-up.

20. Force Majeure. Seller shall not be liable to Buyer or be deemed to be in breach of this agreement by reason of any delay in performing, or any failure to perform, any of Seller's obligations in relation to the Products if the delay or failure was due to any cause beyond the reasonable control of Seller including (without limitation) strike, lockout, riot, civil commotion, fire, accident, explosion, tempest, act of God, war, epidemic, stoppage of transport, terrorist activity, supply shortage or changes in government, governmental agency, laws, regulations or administrative practices.

21. Anti-Corruption; Export Controls; No Boycotts. Buyer agrees that it shall, and that any party retained or paid by the Buyer ("Retained Party") shall, comply with all applicable laws including, but not limited to, laws prohibiting public corruption and commercial bribery. Buyer further agrees that it shall, and that any Retained Party shall, comply with all applicable export controls, economic sanctions, embargoes and regulations regarding the export, re-export, shipment, distribution and/or sale of Products, technology, information or warranty related services. Buyer further agrees that it shall not, and any Retained Party shall not, export or re-export Products, technology, information or warranty related services directly or with its knowledge indirectly into Iran, Sudan, Cuba, Syria, North Korea, the Crimea Region of the Ukraine or Russia without Buyer first obtaining written approval from Seller. Failure to comply strictly with this section and all applicable laws, regulations and licensing/approval requirements shall be grounds for immediate termination of this agreement by Seller. Notwithstanding anything to the contrary contained in any agreement between the Buyer and Seller or in any other document or agreement relating to the Products sold hereunder, Seller will not comply with requests related to the boycott of any country or other jurisdiction, except to the extent such boycott is required by or otherwise not inconsistent with United States law.

22. Telematics. If a telematics system is included with the Equipment, the telematics system is administered by a third party ("Teleservice Provider") and collects a range of operational data about the Equipment including, but not limited to, usage, performance and reliability. Buyer consents to Seller's obtaining such data from the Teleservice Provider for warranty, product improvement, marketing and customer support purposes and to Seller's management and reporting of data (personal and non-personal) about the Equipment including, but not limited to, fuel consumption, up/down times, operation, defects, parts replacement, movement and location. Buyer shall, to the extent required by applicable law, obtain consent from its customers and/or any third party for Seller and/or third parties to provide teleservices and data to Buyer. Buyer shall comply with all applicable laws relating to the provision of teleservices. Buyer agrees to be bound by the current version of the Terex Telematics Terms of Use at <https://www.terex.com/en/products/telematics-tou>.

23. Construction and Severability. These Terms and Conditions of Sale constitute the entire agreement between the parties regarding the subject matter hereof and shall be construed and enforced in accordance with the laws of Delaware. The United Nations Convention on Contracts for the International Sale of Goods (1980) (CISG) shall not apply. The invalidity or unenforceability of any provisions of this agreement shall not affect any other provision and this agreement shall be construed in all respects as if such invalid or unenforceable provision were omitted.

24. Jurisdiction. The parties agree that the proper and exclusive forum and venue in all legal actions brought to enforce or construe any provisions herein shall be in United States District Court, District of Delaware or, if federal jurisdiction is lacking in such action, in New Castle County Superior Court in Delaware.

25. No Assignment. No rights arising under this agreement may be assigned by the Buyer unless expressly agreed to in writing by the Seller.

26. No Set-off. Buyer shall have no right to set-off any amounts it may owe Seller against amounts Seller may owe Buyer under this or any other agreement between Buyer and Seller.

27. Miscellaneous. Buyer represents that: (i) it is solvent and has the financial ability to pay for the Equipment and Parts purchased hereunder and (ii) it has all requisite right, power and authority to perform its obligations under this agreement.

Buyer's Initials: _____



LIMITED PRODUCT WARRANTY

TEREX USA, LLC dba TEREX UTILITIES ("Seller"), as to the equipment manufactured by each respective company, warrants its new equipment and parts manufactured and sold worldwide to be free, under normal use and service, of any defects in manufacture or materials for a period of **12 months from date of delivery to the first end user, but in no event longer than 18 months from date of shipment from the factory**; provided that (1) Seller receives written notice of the defect within thirty (30) days of its discovery and Buyer establishes that (i) the equipment has been maintained and operated within the limits of rated and normal usage; and (ii) the defect did not result in any manner from the intentional or negligent action or inaction by Buyer, its agents or employees, and (2) a new machine registration certificate has been completed and received by Seller within thirty (30) days of the equipment's "in-service" date. If requested by Seller, Buyer must return the defective equipment to Seller's manufacturing facility, or other location designated by Seller, for inspection, and if Buyer cannot establish that conditions (1) (i) and (1) (ii) above have been met, then this warranty shall not cover the alleged defect.

Seller's obligation and liability under this warranty is expressly limited to, at Seller's sole option, repairing or replacing, with new or remanufactured parts or components, any part which appears to Seller upon inspection to have been defective in material or workmanship. Such parts shall be provided at no cost to the owner, FOB Seller's parts facility (Incoterms 2010). If requested by Seller, components or parts for which a warranty claim is made shall be returned to Seller at a location designated by Seller. All components and parts replaced under this warranty become the property of Seller. This warranty shall be null and void if parts (including wear parts) or attachments other than genuine OEM Seller parts or approved attachments are used in or attached to the equipment.

Accessories, assemblies and components included in Seller's equipment, which are not manufactured by Seller, are subject to the warranty of their respective manufacturers. Normal maintenance, adjustments, or maintenance/wear parts, are not covered by this warranty and are the sole maintenance responsibility of Buyer.

The following structural members have a lifetime parts only warranty for the original Buyer after date of shipment from Seller: sub frame, pedestal, turntable, and boom. Replacement of fiberglass jibs, seals, gaskets, hoses, and exterior coating is not covered under the lifetime warranty. The lifetime warranty requires an annual service inspection of the equipment by an authorized distributor of Seller. The sub frame, pedestal, turntable, and boom shall have a 5 year parts only warranty if the annual service inspection is performed by an approved entity other than an authorized distributor of Seller. All replacement parts must be genuine OEM Seller parts.

SELLER MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, AND MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, AS TO THE EQUIPMENT AND PARTS IT SUPPLIES.

No employee or representative of Seller is authorized to modify this warranty unless such modification is made in writing and signed by an authorized officer of Seller. Seller's warranty is continuous for the stated period, and "stopping and restarting" such period is not permitted.

Seller's obligation under this warranty shall not include duty, taxes, environmental fees, including without limitation, disposal or handling of tires, batteries, petrochemical items, or any other charges whatsoever. Seller shall not be liable for indirect, incidental, or consequential damages, even if advised of the possibility of such damages.

Improper maintenance, improper use, abuse, improper storage, operation beyond rated capacity, operation after discovery of defective or worn parts, accident, sabotage or alteration or repair of the equipment by persons not authorized by Seller shall render this warranty null and void. Seller reserves the right to inspect the installation of the product and review maintenance procedures to determine if the failure is covered under this warranty.

Parts Warranty: Seller warrants the parts ordered from the Seller to be free of defects in materials or workmanship for either (1) a period of 12 months after date of shipment from the factory, or (2) the balance of the remaining new equipment warranty, whichever occurs first. With respect to parts ordered from Seller for equipment for which the warranty has expired, Seller warrants such parts to be free of defects in materials or workmanship for a period of 12 months after date of shipment from the factory.

NO TRANSFERABILITY OF WARRANTY: This warranty is limited to the original purchaser or original end-user if sold to a distributor, and is not assignable or otherwise transferable without the written agreement of Seller.

ITEMS NOT COVERED BY WARRANTY

The following listed items, which are not exhaustive, are **NOT** covered under this warranty:

1. Items sold by any individual, corporation, partnership or any other organization or legal entity that is not authorized by Seller to distribute its equipment.



LIMITED PRODUCT WARRANTY

2. Inbound freight, duty and taxes for replacement components or outbound freight, duty, and taxes for any part requested as a warranty return.
3. Components which are not manufactured by Seller or its affiliates. Such components may include, but are not limited to, chassis, engines, batteries, tires, customer-supplied products, transmissions, air compressors, and axles.
4. Replacement of a complete assembly that is field repairable by the replacement or repair of defective part(s) within the assembly. Seller has the option to repair or replace any defective part or assembly.
5. Wear parts and maintenance services including, but not limited to: lamps, lenses, seals, gaskets, hoses, filters, breathers, belts, nozzles, friction plates, glass, clutch and brake linings, wire rope, nuts and fittings, exterior coatings, proper tightening of bolts, adding or replacing of fluids, adjustments of any kind, services, inspections, diagnostic time, travel time and supplies such as hand cleaners, towels and lubricants.
6. Damage caused by carrier handling. Any such claim for damage should be filed immediately with the respective carrier.
7. Repairs, work required or parts exposed as the result of age, storage, weathering, lack of use, demonstration use, or use for transportation of corrosive chemicals.
8. Damage resulting to the equipment or parts should the owner or operator continue to operate the equipment after it has been noted that a failure has occurred.
9. Damage caused by, or labor or other costs related to, work performed by personnel not authorized by Seller to service the equipment.

IN NO EVENT SHALL SELLER, OR ANY AFFILIATE, SUBSIDIARY OR DIVISION THEREOF BE LIABLE FOR INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSSES RESULTING FROM ANY BREACH OF WARRANTY, REPRESENTATION OR CONDITION, EXPRESS OR IMPLIED, OR ANY TERMS OF THIS WARRANTY, OR ANY BREACH OF ANY DUTY OR OBLIGATION IMPOSED BY STATUTE, CONTRACT, TORT, COMMON LAW OR OTHERWISE (WHETHER OR NOT CAUSED BY THE NEGLIGENCE OF THE SELLER, ITS EMPLOYEES, AGENTS OR OTHERWISE), INCLUDING, WITHOUT LIMITATION, LOSS OF USE, LOST PROFITS OR REVENUES, LABOR OR EMPLOYMENT COSTS, LOSS OF USE OF OTHER EQUIPMENT, DOWNTIME OR HIRE CHARGES, THIRD PARTY REPAIRS, IMPROPER PERFORMANCE OR WORK, LOSS OF SERVICE OF PERSONNEL, LOSS OF CONTRACTOR OPPORTUNITY AND PENALTIES OF ANY KIND, PERSONAL INJURY, EMOTIONAL OR MENTAL DISTRESS, OR FAILURE OF EQUIPMENT TO COMPLY WITH ANY APPLICABLE LAWS. The Seller's liability to the Buyer shall not in any event exceed the purchase price of the equipment.

THIS WARRANTY IS EXPRESSLY IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, REPRESENTATIONS AND CONDITIONS, EXPRESS OR IMPLIED AND ALL OTHER STATUTORY, CONTRACTUAL, TORTIOUS AND COMMON LAW OBLIGATIONS OR LIABILITY ON SELLER'S PART ARE HEREBY EXPRESSLY EXCLUDED TO THE MAXIMUM EXTENT PERMITTED BY LAW. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE LIMITED WARRANTY CONTAINED HEREIN. Seller neither assumes nor authorizes any other person to assume for Seller any other liability in connection with the sale of Seller's equipment. In the event that any provision of this warranty is held unenforceable for any reason, the remaining provisions shall remain in full force and effect.



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

City of Sallisaw
PO Box 525
Sallisaw , OK 74955

Qty. Description
UNIT

1 TI48 Telescopic Aerial Device

One (1) new Terex Hi-Ranger TL48 Articulating / Telescoping Aerial Device providing a working height of 52.5 ft (16.0 m).
Unit will be mounted behind the cab.

Design Criteria:

* Design criteria is in accordance with current industry and engineering standards applicable and accepted for structural and hydraulic design.

Aerial device is designed as a Category C machine in accordance and is dielectrically tested and rated for operation on systems up to 46 Kv phase to phase per ANSI/SIA A92.2-2021

Turntable and Lower Boom Assembly:

Lower Boom:

- * Filament wound high strength fiberglass insert providing an insulation gap.
- * The lower boom articulation is from 0 to 88 degrees.

Lower Controls:

- * Individual control levers are located in an accessible location on the turntable.

Rotation:

- * Self-locking worm gear rotation drive is provided and equipped with bi-directional motor.

Hydraulic System:

- * Full pressure open center hydraulic system.
- * Hydraulic hoses are equipped with permanent type fittings.

Miscellaneous:

- * All metallic components of the complete aerial device are powder coat white.
- * The fiberglass upper boom, boom inserts, platforms and covers are white.
- * One complete paper manual and access to an electronic copy of the manual providing operational and maintenance procedures, and a replacement parts listing.
- * Warning decals provided with unit.

1 Pedestal,50 (Ford)

Pedestal.

1 20 Gal Bed Mt Hyd Tank

A 20-gallon hydraulic oil reservoir provided with a spin-on type 10-micron return line filter a 100-mesh filter screen baffles outlet filter screen clean out access hole dipstick and a ball type shut off valve.



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

1 Boom Tip,End,Rot&Lifter,Cobra Style Jib

Boom Tip with 4 Function Controls, Platform Rotator, Platform Lifter and 1000 lb. removable top mounted cobra style jib that does not rotate with platform.

Upper Controls: Control-Plus single stick controller.

* Enable lever must be actuated before operation.

The end mount platform rotator offering 180 degrees of hydraulic rotation.

The platform lifter provides 24 of vertical platform lift.

Hydraulic Platform Tilt is provided at platform and lower controls.

Engine Stop/Start controlled at platform and lower controls.

Upper Boom:

* Filament wound high strength fiberglass boom providing an insulation gap.

Top mount, Removable 1000 lb. Jib/Winch

* Levels with platform.

* Hydraulic articulation from -20 to 70 degrees.

* 51 load radius from the platform shaft.

* Manual extension 17 .

* Maximum jib capacity of 1000 lb.

* Includes up to 65' of 3/8 winch rope and hook.

* Low profile stowed position of 16 and the boom can still utilize its full range of motion down to -40 degrees.

* Poppet valve protection of fiberglass boom. Stops boom operation if jib contacts fiberglass boom.

* King post attached to jib. Low profile socket when jib removed to minimize interference and overall height.

Dual Hydraulic Tool Outlets At Platform With Flow Control:

* Installed at the platform to accommodate two open center hydraulic tools.

* Provides 5 GPM at 2250 psi at engine idle.

1 Jib Chart With 400 Lbs Platform Capacity

Platform capacity rated up to 400-lbs and jib capacity chart.

1 End Mount, 24x30

Platform, End Mount, 24 x 30 x 42:

* Includes one outside access step with slip-resistant surface.

1 Safety Harness For Single Platform

A safety harness with lanyard is provided for fall arrest.

1 Platform Rest,Single,24x30 - Rigid

A rigid platform rest provides platform support during road travel.

1 Liner, 24x30



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

Insulated Platform Liner For 24 x 30 x 42 Platform:
* Tested at 50 KV AC.

1 Cover, Platform & Controls, 24x30

Vinyl Platform And Control Cover For 24 x 30 Platform:
* Waterproof, internal elastic cord around edge and external elastic cord around control cover.

1 Two Speed (Std)

Engine Throttle Control:
* A two speed engine throttle control is provided at the upper controls.
* The engine will advance to a pre-set speed when engaged and decrease to idle when disengaged.

1 Auxiliary Letdown, 12v

Auxiliary Let Down for use with Open Center Hydraulics:
* Allows for the descent of the boom (platform) in the most direct manner for a time limited by the duty cycle of the electric motor.
* Includes 12 volt electric motor for use on a 12 volt chassis.
Note: This includes a switch for activation at pedestal for electric or air function.

1 Collector Block, 6 Ch - Boom Stow 12v

Continuous And Unrestricted Rotation:
* A hydraulic rotary manifold provides a rotating oil distribution system for continuous and unrestricted rotation.
* A 6 channel electric collector ring is provided as standard.

Boom Stow Protection System:
* Protects against damage from excessive down pressure of the lower boom by cutting off oil supply to the lower boom function.

1 Terex Advanced Chassis Controller

Terex Advanced Chassis Controller:
* Multiplexed system to include: Controller, LCD Screen, Manual and Schematics.
* Standard Options: Diagnostics, Status Screens, Event Log, Hours Meter, Selectable Button Labels, System Alerts and System Test.
* Programmable settings allow installer to customize/select options need for their application.
* Screw terminal-type connections and enclosure to cover connections.
* Recommended on Class 6 and above chassis with multiple outputs
* The PTO hour is standard. The engine hour meter is standard (When available). This is a message we get from the truck Data link. All trucks except Ford give us the Engine hours. So if it's a Ford, we just display PTO hours.

1 Subframe For 84 Inch Ca - 123 Inches Long - Class 1

Subframe.



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

- 1 **Tie Down Kit, Ford, Light Duty - TI48**
Tie down kit.
- 1 **A-Frame, Heavy Duty, Low Profile 438506**
Heavy Duty Low Profile A-Frame Outriggers (438506).
- 1 **A-Frame, Modified, Super Duty TI48**
Modified A-Frame Outriggers with swivel type stabilizer pads. (Q1348)
- 1 **O/R Cntrls, 2 Sets**
Controls For 2-Sets OF Outriggers (Open center systems):
* Recessed at rear of truck each side for ease of view for outrigger placement.
* Includes switches and alarm for outrigger in motion alarm.
- 1 **Outrigger Interlock, 12v, Std (2 Sets Af)**
Outrigger Interlock:
* To operate the boom the outriggers must be extended.
- 1 **Transmission, Automatic, Ford (Muncie)**
Pump for systems requiring 8 gallons per minute:
* Fixed displacement gear pump
- 1 **Ub Rest, Automatic**
A boom rest with a automatic latch is provided.
- 1 **Usa**
American flag displayed on unit.
- 1 **Limited Product Warranty - Standard**
Factory Warranty
- 1 **Current Model Year Ford F-600 4x4 Chassis per attached spec (SPEC#35)**
- 1 **132-inch Steel Line Body and Accessories per attached spec**



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

1 Install TI Behind Cab

Install Aerial Device Behind Cab And Install All Associated Components:
* Final test and inspect completed unit including stability and dielectric testing per manufacturers requirements.

1 Hose & Fitting Kit Group 1

Hose and fittings to connect the hydraulic system from the oil reservoir to the pump and unit.

1 Misc Shop Supplies Group 3

Miscellaneous shop supplies.

1 Platform Rest Bottom Base Group 3

Platform rest, bottom base

1 Chassis Spring Add Left Rear(Req. Art)

Chassis Spring Additions:
* Build up left rear chassis springs to level vehicle.

1 Pto (Muncie) For Automatic Transmission

Power take off with indicator light for automatic transmission.

1 Dot Inspection

DOT Inspection.

1 Set Chassis Parameters (Req'D)

Set chassis parameters.

1 Ecco Back-Up Alarm

Back-up alarm to sound when the vehicle is shifted into reverse.

4 Wood 24 X 24 Painted Black (Standard)

Laminated wood outrigger pad 24 x 24 x 2-1/4 with rope handle.



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

4 Rubber Wheel Chock Eye Bolt (Standard)

Rubber wheel chocks with eye bolt.

1 Grab Handle Set Three Point Contact

Grab Handle set for three point contact.

2 Mud Flap - Terex Logo (Standard)

Mud flap with logo.

Note: Trim As-Required.

1 Mounting Bracket For Grounding Cable

Bracket for storing grounding cable.

1 Kit Ground Cable 2/O Black (Standard)

2/O Black Electrical Cable used for grounding per ASTM F855-04:

* 50' of multi-strand flexible copper cable, three grounding lugs, two ferrules and grounding clamp.

* Three point grounding system for grounding vehicle during work operations.

* Cable must be fully removed from bracket before use.

NOTE! Purchaser to verify this meets their company's requirements for fault current.

1 Grounding Loop Kit (One Each)

Grounding Loop Kit:

* Consists of (2) grounding copper rings located one at front and one at rear.

1 Bed Mount TI37-50 (65388508-65388620)

Boom rest.

1 Peterson 7-Lamp Led Kit Fmvss Dot

Peterson LED 7-lamp DOT Lighting Package:

* Complies with FMVSS 108.

* Includes required lights, junction box and wiring harness.

* Note: Includes lighted License Plate Area

* Note: Includes Clearance Lights if Applicable to application.

2 Kit 4 Amber Led Strobe Light/Guard(Std)

Amber strobe light (LED) with 4 inch tall and 6 inch diameter lens and branch guard.



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

1 Strobe Lht Kit 4-Cnr Fl Mt Led Amber 4

Whelen 4 corner LED, Amber Strobe Light Kit with 4 grommets.
*Wired into On/Off switch in cab.

1 Golight Led White Remote 20004gt

Golight 20004GT LED spotlight, hand held remote and white in color.

1 Pintle Hook 2 Ball Combination Bh82000

BH82000 Combination Pintle Hook And 2 Ball:

* Safety chain eyes.

Pintle hook brackets and attachment methods are designed to meet the associated pintle hook ratings. They are not designed for recovery purposes. If recovery attachments are required, please order the appropriate tow eyes.

1 Icc Rear Bumper

ICC rear bumper.

1 7-Prong Trailer Socket(Combined)Med Dty

7-prong trailer socket.

NOTE: Stop & turn signal lights on combined circuit.

Wire Chassis Supplied E-Brake Controller to Trailer Socket

1 Oil Tank Mounting (Req For External)

Oil tank mounting for external reservoirs.

30 Hydraulic Oil - General Purpose

Fill with Hydraulic oil for general purpose use.

* Refer to the product maintenance manual for specific type to be used.

1 Safety Kit 5# Fire Extinguisher-Abc(Std)

Safety Kit consists of the following:

* 5-lb ABC fire extinguisher with bracket.

* James King triangle reflector kit.

1 Chassis Supplied Camera

Chassis supplied back up camera.

1 Paint Body Floor With Non-Skid Paint



Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 05-AUG-2024

Quote Number: QU33594-TU- V1

Unit: TL48

Paint body floor with non-skid paint.

1 Paint Compartment Top Non-Skid Paint

Paint compartment top with non-skid paint.

Terex USA, LLC dba Terex Utilities

1. Federal Excise Tax will be added if certificate is not supplied with order.
2. The following items must be considered by the purchaser if not already included: Strobe Light; Wheel Chocks; Outrigger Pads; Outrigger Out of Stow Light; Truck Grounding Kit; Barricade Kit; Boom Stow Interlock; Auxiliary Let Down; Platform Liner; Platform Cover; Two-Speed; Start/Stop Controls; Oil Cooler; PAL; Anti-Two Block (Digger Derricks); Load Display (Digger Derricks) and Load Alert (Aerials).
3. Terex USA, LLC dba Terex Utilities strongly recommends all installation accessories be located up front in front in the quote or secondarily on the approved engineering drawing. Any accessories located or relocated during manufacturing may be subject to additional charges.
4. Terex USA, LLC dba Terex Utilities - Offers In-service Training.
5. Terex USA, LLC dba Terex Utilities - Assembly in Watertown.South Dakota is ISO 9001:2000 Certified.

Quotation Number Q40069

To: Terex Utilities
Attn: Kyle Crom
Customer:

Spec Number: N/A
State: South Dakota
Engine Type:
Crane/Unit Model: TL48
Chassis:
Axle Configuration:

Reference: Q40050
Same As:

Dakota Bodies LLC. Steel Service Body
Terex

132 Inches Long x 40 Inches High x ,94 Inches Wide
Chassis Cab to Axle (CA) of 84 Inches

- Bodies with one set of jack legs to have lifting eye and body shipping stands
- 16 gauge front bulkhead – Ship loose (unless specified)
- Wheel chock holders are to be installed 1/2" forward and 1/2" rearward of cutout
- All bulkheads to have pin access cutout/ cover when A-frame jack is ahead or behind bulkhead, x-frame jacks will not get pin access cutout/ cover

Body Dimensions:

132	Inches - Body Length
40	Inches - Body Height
94	Inches - Body Width
84	Inches - Chassis C/A
40	Inches - Compartment Height
18	Inches - Compartment Depth
58	Inches - Load Space Width
19	Inches - Top of Body to Top of Floor Dimension
18	Inches - Horizontal Compartment Height
None	Inches - Wheel Box Height

Body Materials:

16 ga Galvanneal	- Main Body Material	
12 ga 4-Way Treadplate	- Compartment Tops Material	
14 ga Galvanneal	- Wheel Panels Material	
14 ga Galvanneal	- Front Bulkhead Material	Split front bulkhead - Shipped Loose
18 ga Galvanized	- Shelving Material	
Adjustable on Dual Unistrut	- Shelving Mounting Style	

OPTIONS

No	- Front Rock Guards Material
No	- Wheel Well Liners Material
No	- Bed Area Wall Liners Material

Other Body Details:

- Uni-strut installed in ALL compartments

Door Materials:

Standard, Double Panel	- Door Type	
18 ga Galvanneal	- Inner Door Material	
18 ga Galvanneal	- Outer Door Material	
Stainless Steel Rod & Socket	- Door Hinge Style	
5/16" Stainless Steel	- Door Rod Material	
Chain	- Vertical Door Holder Option	
Chain	- Horizontal Door Holder Option	
Single Point Rotary (Stainless Steel)	- Latch Type	
	Keyed Alike	- Lock Type
	- Wrap Around Striker with Rounded Corners	

Other Door Details:

Floor and Understructure:

12 ga (.109) 4-Way Treadplate
TL48
Standard
Structural
3 Inch

- Bed Area Floor Material
- Unit Cutout in Floor
- Body Frame Style
- Body Frame Material
- Body Frame Height

TL48 Subframe Installation:

- Install customer supplied subframe, with outriggers attached, to body (include tie down kit if necessary).
- Round Cutout in subframe

Accessories:

- Rubber Rolled Crown (PN# 30136) (Shipped Loose with Wheel Cut-Outs)
- Automotive Bulb Weatherstripping (PN# 30132) (Shipped Loose)
- One (1) Fuel Filler Cutout in Rear Streetside Only of Fender Panel
- Master Door Lock, Hook and Loop System on Streetside with Three (3) Spring Loaded Door Handles
- 3/16" formed mud flap brackets installed at rear on each side with 1/4" bolt on flat

Interior Lighting:

- L.E.D. Rope Lights (PN# 30811) in All body Compartments (Installed)
- Does NOT include boxes
- Each compartment to have Two (2) Weatherpack connectors

Paint:

- Powdercoat Complete; Interior and Exterior, Taffeta White DWS9-20001; PC0020
- Paint the Complete Bed Area Same as Body

Streetside Compartmentation:**1st Vertical Compartment:**

- 30" Wide x 40" High x 18" Deep Compartment
- Outrigger Cutout with Cover In this Compartment
 - Five (5) 1/2" Dia. Locking / Swivel Carriage Bolt Hooks, Adjustable, 1-3-1 Hook Set

2nd Vertical Compartment:

- 24" Wide x 40" High x 18" Deep Compartment
- Two (2) Adjustable Shelves
 - Divider Slots on 2" Centers, with Four (4) Adjustable Dividers

Horizontal Compartment:

- 54" Wide x 18" High x 18" Deep Compartment
- Vacant / Open Compartment

Rear Vertical Compartment:

- 24" Wide x 40" High x 18" Deep Compartment
- Two (2) Adjustable Shelves
 - Divider Slots on 2" Centers, with Four (4) Adjustable Dividers

Streetside Hotstick Shelf:

- 132 Inch Long Shelf Installed on the Streetside with a Rear Dropdown Access Door
- Stainless Steel Automotive Rotary Type Door Latch
 - Stud Mounted Latches to Have Hidden Fasteners Inside the Door
 - Striker Installed in Door Frame for Maximum Opening
 - Stud Mounted Automotive Style Latches Have Interior Plastic Latch Covers
 - Automotive Bulb Type Weatherstripping Mechanically Fastened to Door Frame with Rounded Corners

Curbside Compartmentation:**1st Vertical Compartment:**

- 30" Wide x 40" High x 18" Deep Compartment
- Outrigger Cutout with Cover In this Compartment
 - Two (2) Adjustable Shelves
 - Divider Slots on 2" Centers, with Four (4) Adjustable Dividers

Curbside Access Steps 24" Wide

- Gripstrut Access Steps to Bed Area with
1/8" Aluminum Risers and Kickplates
Two (2) Chrome Bolt-on grabhandle installed at side access
One (1) Rubber Belt type access step under the side access steps. (Ship loose)
- 1/4" Lasered flat added to bottom of step for mounting of step
 - Removable composite retainer 6" high X full width of bed area access
 - Include pins and lanyards

Horizontal Compartment:

54" Wide x 18" High x 18" Deep Compartment

- One (1) Fixed Divider Tray with Divider Slots on 2" Centers Installed on Compartment Bottom
- Tray will have Eight (8) Adjustable Dividers

Rear Vertical Compartment:

24" Wide x 40" High x 18" Deep Compartment

- Five (5) 1/2" Dia. Locking / Swivel Carriage Bolt Hooks, Adjustable, 1-3-1 Hook Set

Tailgate:

- Removable Composite retainer 6" high X full width of bed area installed at rear of load space
- Include pins and lanyards

Tail shelf:

- 12 gauge hot rolled treadplate tail shelf 36 inches long X 94 inches wide x 9 inches high.
- Outrigger control plates installed below tailshelf

Exterior Lighting:

- 7 Lamp Located in the Light Bar Rear Lighting in Tailshelf; (No Lights)

~~Wheel Chock Holders~~ fender panel on streetside and Two (2) curbside.

- Include pendulum retainers

Grabhandles:

- One (1) Mini pool type grabhandle and One (1) - Low profile grabhandle bolted to top of CS compartment

Access Steps:

- One (1) Cable type access step under the tailshelf - -Curbside. (Ship loose)

Prepared for: Casey Weber, Purchasing, Terex
Office: 605-882-5570

2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Price Level: 415



Client Proposal

Prepared by:
Mike Johnson
Office: 605-886-5844
Email: mike@watertownfordchrysler.com
Quote ID: 24Spec35
Date: 08/07/2023

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Casey Weber, Purchasing, Terex

Office: 605-882-5570

Re: Quote ID 24Spec35 08/07/2023

Dear Casey,

Thank you very much for your interest in acquiring a vehicle from our dealership. We concur that your interest is well deserved. We hope that an outstanding product lineup and our dedication to customer service will enhance your ownership experience should you decide to buy a vehicle from us.

Attached, please find additional information that I hope will assist you in making a more informed decision. Please feel free to contact me at any time as I would truly appreciate the opportunity to be of service to you.

Sincerely,

Mike Johnson

Fleet Sales

605-886-5844

mike@watertownfordchrysler.com

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Table of Contents

Description	Page
Cover Page	1
Cover Letter	2
Table of Contents	3
Selected Equip & Specs	4
As Configured Vehicle	16
Warranty	19
Vehicle Dimension and Performance	20

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Selected Equip & Specs

Dimensions

• Conventional Capacity: 18,500 lbs. • **GCWR: 43,500 lbs.** • **Fifth-wheel towing capacity: 34,000 lbs.** • **Gooseneck towing capacity: 34,200 lbs.** • **Vehicle body length: 287.2"** • Vehicle body width: 80.0" • Wheelbase: 169.0" • Front track: 74.8" • Rear track: 74.0" • Vehicle turning radius: 24.2' • Cab to axle: 84.0" • Rear tire outside width: 93.9" • **Axle to end of frame: 79.6"** • Frame section modulus: 12.7 cu.in. • Frame yield strength (psi): 50000.0 • Frame rail width: 34.2" • Front bumper to front axle: 38.3" • Front bumper to back of cab: 123.7" • Front brake diameter: 15.4" • Rear brake diameter: 15.8" • Interior rear cargo volume: 11.6 cu.ft. • Max interior rear cargo volume: 11.6 cu.ft. • Total passenger volume: 64.6 cu.ft. • Headroom first-row: 40.8" • Leg room first-row: 43.9" • Shoulder room first-row: 66.7" • Hip room first-row: 62.5"

Powertrain

• **Powerstroke 6.7L V-8 diesel direct injection, DEVCT intercooled turbo, diesel, engine with 330HP** • Engine cylinders: V-8 • **Compression ignition system** • **Horsepower: 330 HP@2200 RPM** • **Torque: 950 lb.-ft.@1800 RPM** • **Engine block heater** • Radiator • Auxiliary power take-off • **Engine retarder system** • 10-speed automatic • Part-time 4WD • Four-wheel drive • **Recommended fuel: diesel** • Mechanical limited slip differential • Driveline managed traction control • Auto locking hub control • Electronic transfer case shift

Fuel Economy and Emissions

• **Diesel secondary fuel type** • Federal emissions

Suspension and Handling

• Firm ride suspension • Heavy-duty front shock absorbers • Heavy-duty rear shock absorbers

Driveability

• 4-wheel disc brakes • Front and rear ventilated disc brakes • 4-wheel antilock (ABS) brakes • Four channel ABS brakes • Brake assist system • Hill Start Assist • Mono-beam rigid axle front suspension • Front anti-roll bar • Front coil springs • DANA M300 rigid axle rear suspension • Leaf spring rear suspension • Rear anti-roll bar • Hydraulic power-assist steering system • Re-circulating ball steering • 2-wheel steering system

Body Exterior

• Trailer wiring harness • 2 doors • Clearcoat paint • Monotone paint • Black fender flares • Black side window trim • Black windshield trim • Black door handles • **Chrome front bumper** • **Body-coloured front bumper rub strip** • 2 front tow hooks • **Black grille with chrome accents** • Black door mirrors • Manual extendable trailer mirrors • Convex spotter in driver and passenger side door mirrors • Turn signal indicator in door mirrors • **LT245/70RS19.5 AT BSW front and rear tires** • 19.5 x 6.75-inch front and dual rear argent steel wheels

Convenience

• Power door locks with 2 stage unlocking • Keyfob activated door locks • All-in-one remote fob and ignition key • Cruise control with steering wheel mounted controls • **FordPass Connect smart device and keyfob vehicle start control** • Day/Night rearview mirror • Power first-row windows • Fixed rear windshield • Illuminated locking glove box • Illuminated glove box • Front beverage holders • 6 beverage holders • Instrument panel covered bin • Dashboard storage • Retained accessory power • PRND in IP • Trip computer • Upfitter switches • Over the air updates

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Comfort

• Manual climate control • Cabin air filter • Cloth headliner material • Full headliner coverage • Full vinyl floor covering • Full floor coverage • Manual tilting steering wheel • Manual telescopic steering wheel • Urethane steering wheel

Seats and Trim

• Seating capacity: 3 • 40-20-40 split-bench front seat • Split-bench front seat • Driver seat with 4-way directional controls • Front passenger seat with 4-way directional controls • Height adjustable front seat head restraints • Manual front seat head restraint control • Front seat center armrest • Front seat armrest storage • Manual reclining driver seat • Manual driver seat fore/aft control • Manual reclining passenger seat • Manual passenger seat fore/aft control • Manual driver seat lumbar • Vinyl front seat upholstery

Entertainment Features

• 2 total number of 1st row displays • 8 inch primary LCD display • Primary touchscreen display • AM/FM stereo radio • In-vehicle audio • AM radio • FM radio • Seek scan • SYNC 4 external memory control • Speakers number: 4 • Standard grade speakers • Steering wheel mounted audio controls • SYNC 4 voice activated audio controls • Speed sensitive volume • Wireless audio streaming • Fixed audio antenna

Lighting, Visibility and Instrumentation

• Digital/analog instrumentation display • Configurable instrumentation gauges • Trip odometer • In-radio display clock • Compass • Exterior temperature display • Driver information center • Gauge cluster display size (inches): 4.20 • Tachometer • Engine/electric motor temperature gauge • **Turbo/supercharger boost gauge** • Transmission fluid temperature gauge • Engine hour meter • **Diesel exhaust fluid (def) gauge** • Light tinted windows • Aero-composite headlights • Halogen headlights • Autolamp auto on/off headlight control • Multiple enclosed headlights • Delay-off headlights • DRL preference setting • Variable intermittent front windshield wipers • Front reading lights • Illuminated entry • Variable instrument panel light • Daytime running lights • **Front fog lights** • Cab clearance lights • Remote activated perimeter approach lighting • Fade interior courtesy lights

Technology and Telematics

• SYNC 4 911 Assist emergency SOS system via mobile device • SYNC 4 handsfree wireless device connectivity • AppLink/Apple CarPlay and Android Auto smart device wireless mirroring • FordPass Connect 4G mobile hotspot internet access • 2 USB ports

Safety and Security

• Driver front impact airbag • Seat mounted side impact driver airbag • Safety Canopy System curtain first-row overhead airbags • Cancellable front passenger air bag • Seat mounted side impact front passenger airbag • 6 airbags • Front height adjustable seatbelts • SecuriLock immobilizer • Remote panic alarm • Lane Departure Warning • Pre-Collision Assist with Automatic Emergency Braking (AEB) forward collision mitigation • **Rear mounted camera** • AdvanceTrac w/Roll Stability Control electronic stability control system with anti-roll

Dimensions

General Weights

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

* **Curb weight** **8,098 lbs.**
GVWR 22,000 lbs.

* **Rear curb weight** **3,248 lbs.**
* **Payload** **13,950 lbs.**

Trailer Weights

* **Fifth-wheel towing capacity** **34,000 lbs.**
Conventional capacity 18,500 lbs.

* **Gooseneck towing capacity** **34,200 lbs.**
* **GCWR** **43,500 lbs.**

Front Weights

* **Front curb weight** **4,850 lbs.**
Axle capacity front 7,500 lbs.
Tire/wheel capacity front 9,080 lbs.

GAWR front 7,500 lbs.
Spring rating front 7,500 lbs.

Rear Weights

GAWR rear 15,500 lbs.
Spring rating rear 15,500 lbs.

Axle capacity rear 15,500 lbs.
Tire/wheel capacity rear 17,200 lbs.

Exterior Measurements

* **Vehicle body length** **287.2"**
Wheelbase 169.0"
Rear brake diameter 15.8"
* **Rear frame height unloaded** **34.0"**
Rear track 74.0"
Cab to axle 84.0"
* **Axle to end of frame** **79.6"**
Frame yield strength (psi) 50000.0
Front bumper to front axle 38.3"

Vehicle body width 80.0"
Front brake diameter 15.4"
Rear frame height loaded 28.6"
Front track 74.8"
Vehicle turning radius 24.2'
Rear tire outside width 93.9"
Frame section modulus 12.7 cu.in.
Frame rail width 34.2"
Front bumper to back of cab 123.7"

Interior Measurements

Interior rear cargo volume 11.6 cu.ft.

Max interior rear cargo volume 11.6 cu.ft.

Interior Volume

Total passenger volume 64.6 cu.ft.

Headroom

Headroom first-row 40.8"

Legroom

Leg room first-row 43.9"

Shoulder Room

Shoulder room first-row 66.7"

Hip Room

Hip room first-row 62.5"

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)**Powertrain***Engine**** Engine Powerstroke 6.7L V-8 diesel direct injection, DEVCT intercooled turbo, diesel, engine with 330HP**

Engine cylinders V-8

*** Ignition Compression ignition system**

Engine block material Iron engine block

*** Valves per cylinder 4**

Engine location Front mounted engine

Engine mounting direction Longitudinal mounted engine

Cylinder head material Aluminum cylinder head

*Engine Specs**** Displacement 6.7L***** Bore 3.9"***** Compression ratio 15.2***** cc 405.9 cu.in.***** Stroke 4.25"**

SAEJ1349 AUG2004 compliant

*Engine Power**** Horsepower 330 HP@2200 RPM***** Torque 950 lb.-ft.@1800 RPM***Alternator*

Alternator amps 250A

Alternator type Heavy-duty alternator

*Battery**** Battery amps 68Ah**

Battery rating 750CCA

*** Battery type Dual lead acid battery**

Battery run down protection Battery run down protection

*Engine Extras**** Block heater Engine block heater**

Auxiliary power take-off Auxiliary power take-off

Radiator Radiator

*** Engine retarder Engine retarder system***Transmission*

Transmission 10-speed automatic

Overdrive transmission Overdrive transmission

First gear ratio 4.615

Third gear ratio 2.132

Fifth gear ratio 1.519

Reverse gear ratio 4.695

Eighth gear ratio 0.851

Tenth gear ratio 0.632

Selectable mode transmission Selectable mode transmission

Transmission electronic control Transmission electronic control

Lock-up transmission Lock-up transmission

Second gear ratio 2.919

Fourth gear ratio 1.773

Sixth gear ratio 1.277

Seventh gear ratio 1

Ninth gear ratio 0.687

Stall ratio 1.97

Sequential shift control SelectShift Sequential shift control

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Transmission oil cooler ... Transmission oil cooler

PTO transmission provision ... PTO transmission provision

Drive Type

4WD type ... Part-time 4WD

Drive type ... Four-wheel drive

Drivetrain

* Axle ratio ... 4.3

Exhaust

Tailpipe ... Stainless steel single exhaust

Fuel

* Fuel type ... diesel

Fuel Tank

* DEF capacity ... 7.20 gal.

Fuel tank capacity ... 40.00 gal.

Drive Feature

Limited slip differential ... Mechanical limited slip differential

Traction control ... Driveline managed traction control

Locking hub control ... Auto locking hub control

Transfer case ... Electronic transfer case shift

Fuel Economy and Emissions*Fuel Economy*

* Secondary fuel type ... Diesel secondary fuel type

Emissions

Emissions ... Federal emissions

Suspension and Handling*Suspension*

Suspension ... Firm ride suspension

Front shock absorbers ... Heavy-duty front shock absorbers

Rear shock absorbers ... Heavy-duty rear shock absorbers

Driveability*Brakes*

Brake type ... 4-wheel disc brakes

Ventilated brakes Front and rear ventilated disc brakes

ABS brakes ... Four channel ABS brakes

ABS brakes ... 4-wheel antilock (ABS) brakes

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)*Brake Assistance*

Hill start assist Hill Start Assist

Brake assist system Brake assist system

Front Suspension

Anti-roll bar front Front anti-roll bar

Suspension ride type front Mono-beam rigid axle
front suspension*Front Spring*

HD front springs Heavy-duty front springs

Springs front Front coil springs

Rear Spring

Springs rear Rear leaf springs

Rear springs Heavy-duty rear springs

Rear Suspension

Anti-roll bar rear Rear anti-roll bar

Suspension type rear Leaf spring rear
suspensionSuspension ride type rear DANA M300 rigid axle
rear suspension*Steering*Steering Hydraulic power-assist steering
system

Steering type Re-circulating ball steering

Steering type number of wheels 2-wheel steering
system**Exterior***Front Wheels*

Front wheels diameter 19.5"

Front wheels width 6.8"

Rear Wheels

Rear wheels diameter 19.5"

Rear wheels width 6.8"

Front And Rear Wheels

Appearance argent

Material steel

Front Tires

Aspect 70

Diameter 19.5"

Sidewalls BSW

Speed S

* Tread AT

Type LT

Width 245mm

Front wheel - RPM 611

Rear Tires

Aspect 70

Diameter 19.5"

Sidewalls BSW

Speed S

* Tread AT

Type LT

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Width 245mm

Rear wheel - RPM 611

Body Exterior*Trailering*

Towing wiring harness Trailer wiring harness

Towing trailer sway Trailer sway control

Towing brake controller ... Trailer brake controller

Exterior Features

Number of doors 2 doors

Front splash guards Front splash guards

Body

Body panels ... Aluminum body panels with side impact beams

Mirrors

Convex spotter Convex spotter in driver and passenger side door mirrors

Turn signal in door mirrors Turn signal indicator in door mirrors

Tires

Front tires LT load rating G

Rear tires LT load rating G

Wheels

Dual rear wheels Dual rear wheels

Convenience*Door Locks*

Door locks Power door locks with 2 stage unlocking

All-in-one key All-in-one remote fob and ignition key

Keyfob door locks ... Keyfob activated door locks

Cruise Control

Cruise control Cruise control with steering wheel mounted controls

*Key Fob Controls**** Fob remote vehicle controls FordPass Connect smart device and keyfob vehicle start control***Rear View Mirror*

Day/Night rearview mirror Day/Night rearview mirror

Exterior Mirrors

Door mirrors Power door mirrors

Folding door mirrors Manual folding door mirrors

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Heated door mirrors Heated driver and
passenger side door mirrors

Front Side Windows

First-row windows Power first-row windows

Overhead Console

Overhead console Full overhead console

Overhead console storage Overhead console
storage

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 6 beverage holders
Glove box Illuminated locking glove box
Instrument panel storage Instrument panel
covered bin

Beverage holders Front beverage holders
Illuminated glove box Illuminated glove box
Dashboard storage Dashboard storage

Windows Feature

One-touch up window Driver and passenger
one-touch up windows

One-touch down window Driver and passenger
one-touch down windows

Miscellaneous

Trip computer Trip computer
Upfitter switches Upfitter switches
Over the air updates Over the air updates

PRND in IP PRND in IP
Accessory power Retained accessory power

Comfort

Climate Control

Climate control Manual climate control

Cabin air filter Cabin air filter

Headliner

Headliner material Cloth headliner material

Headliner coverage Full headliner coverage

Floor Trim

Floor covering Full vinyl floor covering

Floor coverage Full floor coverage

Steering Wheel

Steering wheel telescopic Manual telescopic
steering wheel

Steering wheel material Urethane steering wheel

Prepared for: Casey Weber

Purchasing , Terex
Prepared by: Mike Johnson
08/07/2023



Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Steering wheel tilt Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity 3

Front Seats

Front seat type Split-bench front seat

Driver seat fore/aft control Manual driver seat fore/aft control

Split front seats 40-20-40 split-bench front seat

Passenger seat fore/aft control Manual passenger seat fore/aft control

Front head restraint control Manual front seat head restraint control

Armrests front storage Front seat armrest storage

Lumbar Seats

Driver lumbar Manual driver seat lumbar

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Interior Accents

Interior accents Chrome interior accents

Gearshifter Material

Gearshifter material Urethane gear shifter material

Driver seat direction Driver seat with 4-way directional controls

Passenger seat direction Front passenger seat with 4-way directional controls

Reclining passenger seat Manual reclining passenger seat

Front head restraints Height adjustable front seat head restraints

Armrests front center Front seat center armrest

Reclining driver seatManual reclining driver seat

Front seatback upholstery Vinyl front seatback upholstery

Entertainment Features

LCD Displays

Primary touchscreen display Primary touchscreen display

LCD primary display size 8 inch primary LCD display

Number of first-row LCD displays2 total number of 1st row displays

Radio Features

External memory SYNC 4 external memory control

Seek scan Seek scan

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)*Speakers*

Speakers Standard grade speakers

Speakers number 4

*Audio Features*Steering mounted audio control Steering wheel
mounted audio controls

Speed sensitive volume Speed sensitive volume

Voice activated audio SYNC 4 voice activated
audio controls

Wireless streaming Wireless audio streaming

Lighting, Visibility and Instrumentation*Instrumentation*

Trip odometer Trip odometer

Instrumentation display Digital/analog
instrumentation displayConfigurable instrumentation gauges Configurable
instrumentation gauges*Instrumentation Displays*Temperature display Exterior temperature
displayDriver information center Driver information
center

Clock In-radio display clock

Compass Compass

Instrumentation Gauges

Tachometer Tachometer

*** Turbo gauge Turbo/supercharger boost
gauge**Transmission temperature gauge Transmission
fluid temperature gaugeEngine/electric motor temperature
gauge Engine/electric motor temperature
gauge

Gauge cluster display size (inches) 4.20

Engine hour meter Engine hour meter

*** DEF fluid gauge Diesel exhaust fluid (def)
gauge***Instrumentation Warnings*Engine temperature warning Engine temperature
warning

Oil pressure warning Oil pressure warning

Low fuel warning Low fuel warning

Low brake fluid warning Low brake fluid warning

Battery charge warning Battery charge warning

Headlights on reminder Headlights on reminder

Key in vehicle warning Key in vehicle warning

Door ajar warning Door ajar warning

Service interval warning Service interval indicator

*** Low diesel exhaust fluid (DEF) warning Low
diesel exhaust fluid (DEF) warning***Glass*

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights

Headlight type Aero-composite headlights

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Auto headlights Autolamp auto on/off headlight control

Delay off headlights Delay-off headlights

Multiple headlights Multiple enclosed headlights

DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers

Interior Lighting

Illuminated entry Illuminated entry

Front reading lights Front reading lights

Variable panel light Variable instrument panel light

Lights

Running lights Daytime running lights

* **Fog lights** **Front fog lights**

Perimeter approach lighting Remote activated perimeter approach lighting

Interior courtesy lights Fade interior courtesy lights

Clearance lights Cab clearance lights

Technology and Telematics

Connectivity

Handsfree SYNC 4 handsfree wireless device connectivity

Emergency SOS SYNC 4 911 Assist emergency SOS system via mobile device

Smart device integration AppLink/Apple CarPlay and Android Auto smart device wireless mirroring

Internet Access

Internet access FordPass Connect 4G mobile hotspot internet access

USB Ports

USB ports 2 USB ports

Safety and Security

Airbags

Front impact airbag driver Driver front impact airbag

Front impact airbag passenger Cancellable front passenger air bag

Front side impact airbag passenger Seat mounted side impact front passenger airbag

Number of airbags 6 airbags

Front side impact airbag driver Seat mounted side impact driver airbag

Overhead airbags Safety Canopy System curtain first-row overhead airbags

Prepared for: Casey Weber

Purchasing , Terex
Prepared by: Mike Johnson
08/07/2023



Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Selected Equip & Specs (cont'd)

Seatbelts

Height adjustable seatbelts Front height
adjustable seatbelts

Security System

Immobilizer SecuriLock immobilizer Remote panic alarm Remote panic alarm

Active Driving Assistance

Lane departure Lane Departure Warning Forward collision warning Pre-Collision Assist
with Automatic Emergency Braking (AEB)
forward collision mitigation

Cameras

* Rear camera Rear mounted camera

Traction Control

Electronic stability control AdvanceTrac w/Roll
Stability Control electronic stability control
system with anti-roll

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

As Configured Vehicle

Code	Description
Base Vehicle	
F6L	Base Vehicle Price (F6L)
Packages	
680A	Order Code 680A <i>Includes:</i> - Transmission: TorqShift 10-Speed Automatic 10R140 with neutral idle. Includes SelectShift and selectable drive modes: normal, tow/haul, eco, slippery roads and off-road. - GVWR: 22,000 lbs Payload Package - Wheels: 19.5" x 6.75" Argent Painted Steel - HD Vinyl 40/20/40 Split Bench Seat Includes center armrest, cupholder, storage, 2-way adjustable driver/passenger headrests and driver's side manual lumbar. - Radio: AM/FM Stereo w/MP3 Player Includes 4 speakers. - SYNC 4 Communications & Entertainment System Includes enhanced voice recognition, 911 Assist, 8" LCD center stack screen, AppLink, 1 smart-charging USB port and trailer brake controller.
Powertrain	
99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 <i>Includes Operator Commanded Regeneration (OCR), Diesel Exhaust Fluid (DEF) tank, intelligent oil-life monitor and manual push-button engine-exhaust braking.</i> <i>Includes:</i> - Dual 68 AH/65 AGM Battery - Limited Slip w/4.30 Axle Ratio
44G	Transmission: TorqShift 10-Speed Automatic <i>10R140 with neutral idle. Includes SelectShift and selectable drive modes: normal, tow/haul, eco, slippery roads and off-road.</i>
STDGV	GVWR: 22,000 lbs Payload Package
Wheels & Tires	
TGT	Tires: 245/70Rx19.5 BSW Traction (6) <i>Spare may not be the same as road tire.</i>
64B	Wheels: 19.5" x 6.75" Argent Painted Steel
Seats & Seat Trim	
A	HD Vinyl 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder, storage, 2-way adjustable driver/passenger headrests and driver's side manual lumbar.</i>

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

As Configured Vehicle (cont'd)

Code	Description
Other Options	
PAINT	Monotone Paint Application
169WB	169" Wheelbase
STDRD	Radio: AM/FM Stereo w/MP3 Player <i>Includes 4 speakers.</i> <i>Includes:</i> - SYNC 4 Communications & Entertainment System Includes enhanced voice recognition, 911 Assist, 8" LCD center stack screen, AppLink, 1 smart-charging USB port and trailer brake controller.
96V	XL Chrome Package <i>Includes:</i> - Chrome Front Bumper - Bright Grille - Remote Start - Halogen Fog Lamps
63C	Aft-Axle Frame Extension 32.4" aft-of-axle frame extension increases AF dimension to 79.6"
41H	Engine Block Heater
86M	Dual 68 AH/65 AGM Battery
872	Rear View Camera & Prep Kit <i>Pre-installed content includes cab wiring and frame wiring to the rear most cross member. Upfitters kit includes camera with mounting bracket, 20' jumper wire and camera mounting/aiming instructions.</i>
Fleet Options	
WARANT	Fleet Customer Powertrain Limited Warranty Requires valid FIN code. <i>Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.</i>
Emissions	
425	50-State Emissions System

Prepared for: Casey Weber

Purchasing , Terex
Prepared by: Mike Johnson
08/07/2023



Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

As Configured Vehicle (cont'd)

Code		Description
Exterior Color		
Z1_01		Oxford White
Interior Color		
AS_03		Medium Dark Slate w/HD Vinyl 40/20/40 Split Bench Seat

Prepared for: Casey Weber

Purchasing , Terex
Prepared by: Mike Johnson
08/07/2023



Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Warranty

Standard Warranty

Basic Warranty

Basic warranty 36 months/36,000 miles

Powertrain Warranty

Powertrain warranty 60 months/60,000 miles

Corrosion Perforation

Corrosion perforation warranty 60 months/unlimited

Roadside Assistance Warranty

Roadside warranty 60 months/60,000 miles

Additional Warranty

Diesel Engine Warranty

Diesel engine warranty 60 months/100,000 miles





2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Vehicle Dimension and Performance Summary

Performance predictions in this report represent an estimate of vehicle performance based on standard operating conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques can cause significant variations in vehicle performance. These values are not representative of results that may be shown in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.



Dimensions

A	Front of Bumper to Front Axle	38.30 in.
B	Front Bumper to Back of Cab (BBC)	123.70 in.
C	Wheelbase (WB)	169.00 in.
D	Overall Length (OAL)	287.20 in.
E	Back of Cab to Rear Axle (CA)	84.00 in.
F	Back of Cab to End of Frame	163.60 in.
G	Rear Axle to End of Frame (AF)	79.60 in.
H	Frame Section Height	N/A
I	Rear Frame Height Unloaded	34.00 in.
I	Rear Frame Height Loaded	28.60 in.
J	Cab Height	N/A
K	Body Width	80.00 in.
L	Maximum Ground Clearance	N/A
L	Minimum Ground Clearance	N/A
M	Front Tread	74.80 in.
M	Rear Tread	74.00 in.

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023


Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305



2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Vehicle Dimension and Performance Summary (cont'd)



Weight

GVW	Front Axle	Rear Axle	Totals
Chassis	4,850 lbs	3,248 lbs	8,098 lbs
Body	0 lbs	0 lbs	0 lbs
Occupants Weight	300 lbs	150 lbs	450 lbs
1 Max Payload - (Max Payload)	2,350 lbs	11,102 lbs	13,452 lbs
TOTAL	7,500 lbs	14,500 lbs	22,000 lbs

Ratings	Front Axle	Rear Axle	GVWR
GAWR	7,500 lbs	15,500 lbs	22,000 lbs
Wheels/Tires	9,080 lbs	17,200 lbs	
Suspension	7,500 lbs	15,500 lbs	
Axle	7,500 lbs	15,500 lbs	
Legal Axle Limit	0 lbs	0 lbs	

Prepared for: Casey Weber

Purchasing , Terex

Prepared by: Mike Johnson

08/07/2023

Watertown Ford | 1600 9th Avenue SE Watertown South Dakota | 572015305

**2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)**

Quote ID: 24Spec35

Vehicle Dimension and Performance Summary (cont'd)*Start, Grade and Speed*

<u>Start</u>	<u>Ratio</u>	<u>Desired</u>	<u>Calculated</u>
Start grade capability in 1st gear	4.62	15.00 %	48.20 %
Start grade capability in reverse	4.70	15.00 %	49.03 %
<u>Grade</u>	<u>Ratio</u>	<u>Desired</u>	<u>Calculated</u>
Maximum grade in 8th gear	0.85	3.00 %	9.02 %
Maximum grade in 9th gear	0.69	3.00 %	7.28 %
Maximum grade in 10th gear	0.63	3.00 %	6.70 %
<u>Speed</u>		<u>Desired</u>	<u>Calculated</u>
Top Speed (level grade)		75 mph	95 mph
<i>To meet your requirement you need a maximum axle ratio of 5.47</i>			
Top Speed on 3% grade		55 mph	
<i>To meet your requirement you need a maximum of 95 hp</i>			
Cruise Speed		60 mph	83 mph
Engine RPM at desired cruise speed			1,660 rpm

Variables in Use

Rear axle ratio:	4.30/4.30	Governed RPM:	2,640 rpm
Tire size:	245/70R19.5 (611 rev/mile)	Frontal Area:	-5.00 Sq.Ft.
Gross Vehicle Weight (GVW):	22,000 lbs	Cruising RPM	2,300 rpm
Clutch engagement torque:	475 ft.lbs.	Worst road surface	Typical Highway
Torque conversion ratio:	1.97	Final Drive Ratio:	0.63
Peak engine torque:	950 ft.lbs.	Drag Coefficient	0.80
Engine Power:	330 hp @ 2,200 rpm		




2024 F-600 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F6L)

Quote ID: 24Spec35

Vehicle Dimension and Performance Summary (cont'd)


Shift Chart

Shift Chart displays mathematical geared speed.
Diesel engines use Governed RPM for shift points.
Gas engines use Peak Torque RPM for shift points.



Turning Radius

Turning Radius 24.25 ft



AGENDA ITEM COMMENTARY

Meeting Date: August 12, 2024
Board: Sallisaw Municipal Authority
Subject: Fiber Incentive

ITEM TITLE: Discussion and possible action on Diamondet Incentive Agreement between Sallisaw Municipal Authority (SMA) and Millison Casting Technology LLC to provide fiber incentive of 1 Gb commercial internet connection

INITIATOR: Economic Development Director

STAFF INFORMATION SOURCE: Economic Development Director

BACKGROUND: During the recruitment efforts of an industrial customer, a fiber incentive was offered to the Millison Group. The incentive is structured similar to what was offered to the Department of Veterans Affairs. This incentive is an economic development tool and is offered in exchange for job retainment and creation within the City of Sallisaw.

EXHIBITS: 1. DiamondNet Agreement
2. Millison Fiber Incentive

KEY ISSUES: Fiber incentive is for a 1GB commercial connection for a period of three (3) years in exchange for job creation/retainment. As part of the agreement, Millison must maintain a minimum of 100 employees at the plant for the entire performance period.

FUNDING SOURCE:

RECOMMENDATION: Approval of Incentive Agreement.

DIAMONDNET INCENTIVE AGREEMENT

This DIAMONDNET INCENTIVE AGREEMENT (the “Agreement”) is entered into by and between the Sallisaw Municipal Authority (herein SMA) and Millison Casting Technology LLC, an Oklahoma limited liability company (herein “Millison”), whose address is 1300 Buddy Spencer Avenue., Sallisaw, OK 74955.

A. Millison is the owner of certain industrial property located within the City of Sallisaw and currently operates a manufacturing plant which produced high-pressure diecast aluminum parts and components. Millison intends to operate a manufacturing facility that produce diecast aluminum parts for a diverse customer base.

B. As part of the recruitment process SMA offered Millison a fiber incentive through DiamondNet to help in lowering the operational cost of the company.

C. Millison has advised SMA that a contributing factor to organization to develop in Sallisaw is to provide economic development incentives in the form of a fiber incentive.

D. SMA is authorized under the laws of the State of Oklahoma and the court cases decided thereunder to establish economic development programs through utility incentives

NOW THEREFORE, the Sallisaw Municipal Authority and Millison, for good and valuable consideration do mutually agree as follows:

1. **Definiitions.** AS utilized herein, the following terms shall have the meanings indicated.

“Conditions for Eligibility” means the project is occupied by Millison Casting Technology LLC. as a manufacturing facility located at 1300 S. Buddy Spencer Ave. Sallisaw, OK 74955 and will employ at least one hundred (100) persons throughout the term of the agreement.

“Condition for Eligiblity Relating to Occupancy” means the conditions set forth in the definition for the term “Conditions for Eligibility” contained herein.

“Fiber Incentive Period” means the period beginning on the first billing cycle for August 2024 and ending on July 31, 2027.

2. **Ownership Interest IN Project.** Each party acknowledges and agrees that the Project is located entirely within the city limits of Sallisaw, and is not owned or leased by a member of City Council, member of the SMA board of

trustees, or by a member of the Planning Commission. Millison represents and warrants to SMA that it is the owner of the Project and holds fee simple title as well as equitable title to the Project.

3. Incentive of Fiber through DiamondNet Services.

a. SMA will provide a symmetrical one gigabit (1Gb) internet connection which is provided by DiamondNet, a municipal fiber optic network provider.

b. A commercial 1Gb connection will be provided for the fiber incentive period.

The primary incentive for SMA to enter into this agreement is the continued employment of at least one hundred (100) individuals through Millison's manufacturing operation.

Utility services provided by DiamondNet, SMA, or the City of Sallisaw above and beyond those specifically enumerated in this agreement will be provided to Millison at standard rates as detailed in the Master Fee Schedule.

4. Validity of Incentives. It is understood and expressly agreed by Millison that Millison does not warrant or guarantee that the fiber incentive has provided for in the Agreement will be upheld as valid, lawful, enforceable or constitutional in the event the statutory authority for same or SMA's use thereof is challenged through court action. In the event such court action related to this Agreement is instituted, Millison shall be responsible for defending the parties hereto, at Millison's sole cost of defense.

In the event of any legislative or judicial interpretation that limits or restricts SMA's ability to incentivize the fiber utility herein provided or otherwise extracts or imposes any penalty or other restriction upon the incentive, such incentive will cease and be of no further force, effect or consequence, in which event SMA shall be under no further obligation to Millison. However, SMA and Millison may agree to modify the incentive provide for herein to the extent permitted by such legislative or judicial action to the fullest extent then authorized without penalty or other restriction upon SMA for the rebate of same.

5. Default. In the event that at any time during the term of this Agreement Millison breaches any of the terms and conditions of this Agreement, then Millison shall be in default, and if Millison has not cured such a default within ninety (90) days of said written notice, this Agreement may be terminated by SMA, in which event Millison shall no longer have the benefit of any fiber incentive set forth herein effective as of the date of such termination.

6. **Assignment.** Millison shall not assign this Agreement or its rights or obligations under this Agreement without the prior written consent of SMA, which consent shall not be unreasonably withheld or delayed.

7. **Term.** The term of this Agreement shall expire on July 31, 2027, unless terminated prior to such time in accordance with the provisions of this Agreement. Any obligation of the parties, as well as any rights and benefits of the parties, which by the express terms of this Agreement or of necessity pertain to a period of time following the termination of this Agreement, shall survive termination.

8. **Venue.** The obligations of the parties to this Agreement are performable in Sequoyah County, Oklahoma, and if legal action is necessary to enforce same, exclusive venue shall lie in Sequoyah County, Oklahoma.

9. **Applicable Laws.** This Agreement is made subject to the provisions of the Charter and ordinances of City of Sallisaw and the statutes of the State of Oklahoma, as amended, and all applicable State and federal laws.

10. **Governing Law.** This Agreement shall be governed by and construed in accordance with the laws and court decisions of the State of Oklahoma.

11. **Legal Construction.** In case any one or more of the provisions contained in this Agreement shall for any reason be held to be invalid, illegal, or unenforceable in any respect, such invalidity, illegality, or unenforceability shall not affect an other provision thereof, and it is the intention of the parties to this Agreement that in lieu of each provision that is found to be illegal, invalid or unenforceable.

12. **Counterparts.** This Agreement may be executed in any number of counterparts which shall be deemed an original and constitute one and the same instrument.

13. **Entire Agreement.** This Agreement embodies the complete agreement of the parties hereto, superseding all oral or written previous and contemporary agreements between the parties and relating to matters in this Agreement, and except as otherwise provided herein cannot be modified without the written agreement of the parties to be attached to and made a part of this Agreement.

[EXECUTION ON FOLLOWING PAGE]

EXECUTED to be effective as of this ____ day of _____, 2024

Sallisaw Municipal Authority

ATTEST:

By: _____

Chairman of the Board of Trustees

Name: _____

Title: _____

Secretary

Millison Casting Technology LLC

By: _____

Name: _____

Title: _____



Built on Pride, Dedicated to Excellence

Methods of determining rate:

1. Sallisaw proposes the following energy rates.
 - a. Customer Charge: \$250.00 per month
 - b. Energy Year 1: \$0.0550 per kWh.
 - c. Energy Year 2: \$0.0578 per kWh.
 - d. Energy Year 3: \$0.0606 per kWh.
 - e. Demand KW: \$13.74 per KW for the first three years.
 2. These rates, or adjustments hereto, shall remain in effect for a term of 36 months from the date of the startup of the facility.
 3. Upon any rate modification made by the Grand River Dam Authority, the City of Sallisaw shall review the effects of the rate modification and make necessary adjustments to the Project Spencer rate as needed.
 4. These rates do not include any power cost adjustments currently charged by GRDA or the City of Sallisaw. Power cost adjustments will be calculated based on the customers' energy consumption.
- **Fiber Optic Services (including Internet Cable and Telephone Services):**
 - Provided by Diamond Net (a municipal authority owned by City of Sallisaw);
 - Diamond Net uses network equipment manufactured by Wave7 Optics. Wave7 Optics is a market leader in fiber-to-the-premises (FTTP) optical access technology. The Wave7 equipment delivers true triple play services. These services

9

George Bormann
Director of Economic Development
918-315-8605
918-775-6241
gbormann@sallisawok.org



Built on Pride, Dedicated to Excellence

include high-speed data internet, carrier-class phone services, and video, all across a single fiber to the customer premises;

- All rates and initial service parts, labor (provided by the City) and installation are being incentivized. The City proposes the following fiber incentive:
 - 1 GB Internet Service Connection at no cost for a period of three years
- **COST SAVINGS** potential for the company would be in excess of ten thousand dollars (\$10,000) annually.

- **Water Services:**

- Provided by City of Sallisaw;
- The City of Sallisaw obtains raw water from Brushy Creek Lake located approximately six miles north of Sallisaw. The City of Sallisaw has the capacity to treat 6 million gallons of water per day.

- **Water Flow**

- **Facility is served by a 12” water line**
- Waterflow for the area exceeds 1,000 gpm (one thousand gallons per minute)
- Static Pressure of 58 psi (fifty-eight pounds per square inch)
- Residual Pressure of 50 psi (fifty pounds per square inch)

10

George Bormann

Director of Economic Development

918-315-8605

918-775-6241

gbormann@sallisawok.org